SAFETY DATA SHEET



1. Identification

Product identifier Penntrowel 250 Resin (All Colors)

Other means of identification Not available.

Corrosion Engineering Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

USA

After hours telephone

1-800-222-7122

number

Normal work hours

1-877-982-7667

telephone number

Website www.ergonarmor.com E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2B Sensitization, skin Category 1B

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

Prevention Wear protective gloves. Wear eye/face protection. Wash thoroughly after handling. Avoid

breathing mist or vapor. Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Response Specific treatment see Section 4 of this SDS. Wash contaminated clothing before reuse. IF ON

> SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Storage Store in accordance with local/regional/national regulations.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

Material name: Penntrowel 250 Resin (All Colors)

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BISPHENOL A-(EPICHLORHYDRIN) EPOXY RESIN		25068-38-6	70 - 90

Chemical name Common name and synonyms		CAS number	%	
CASHEW, NUTSHELL LIQ., GLYCIDYL ETHERS		171263-25-5	10 - 30	
[(TOLYLOXY)METHYL]OXIRANE		26447-14-3	5 - 15	
EPICHLOROHYDRIN		106-89-8	0.0548624999	
Other components below reportable leve	els		20 - 40	

Composition comments

Other components in this product are considered non-hazardous under the criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

4. First-aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention, if needed.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Call a POISON CENTER or doctor/physician if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. For minor skin contact, avoid spreading material on unaffected skin. Take off contaminated clothing and wash before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Get medical attention immediately.

Ingestion

Call a physician or poison control center immediately. Rinse mouth thoroughly. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Skin irritation. May cause an allergic skin reaction. Dermatitis. Rash. Irritant effects. May cause redness and pain. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Take off contaminated clothing and shoes immediately. In case of shortness of breath, give oxygen IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Water fog. Foam. Dry chemical powder. Alcohol foam. Carbon dioxide (CO2). Water. Do not use water jet as an extinguisher, as this will spread the fire.

Fire may produce irritating, corrosive and/or toxic gases.

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for

firefighters

Fire-fighting equipment/instructions Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers. Cool containers exposed to flames with

Wear suitable protective equipment. Wear full protective clothing, including helmet, self-contained

positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Specific methods General fire hazards water until well after the fire is out. Water runoff can cause environmental damage. In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid skin contact and inhalation of vapors during disposal of spills. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Penntrowel 250 Resin (All Colors)

Methods and materials for containment and cleaning up

Extinguish all flames in the vicinity.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe mist or vapor. Do not get this material in contact with eyes. Do not taste or swallow. Avoid contact with skin. Avoid prolonged exposure. Avoid contact with clothing. Do not use in areas without adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

CAUTION Store locked up. Keep away from heat, sparks and open flame. Store in a closed container away from incompatible materials. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. Store in accordance with local/regional/international regulation.

V-I...

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	туре	value	
EPICHLOROHYDRIN (CAS 106-89-8)	PEL	19 mg/m3	
,		5 ppm	
US. ACGIH Threshold Limit Valu	ies		
Components	Туре	Value	
EPICHLOROHYDRIN (CAS 106-89-8)	TWA	0.5 ppm	

Biological limit values

Appropriate engineering

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

EPICHLOROHYDRIN (CAS 106-89-8) Skin designation applies.

US - Tennesse OELs: Skin designation

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

EPICHLOROHYDRIN (CAS 106-89-8)

Can be absorbed through the skin.

controls occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses. If risk of splashing, wear safety goggles or face shield.

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

gloves.

Other Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Material name: Penntrowel 250 Resin (All Colors)

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance Clear, straw colored liquid

Physical state Liquid. **Form** Liquid. Color **Varies** Odor Mild. Sweet. **Odor threshold** Not available. pН Not Applicable Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point > 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Not available.

Explosive limit - lower

(%)

Explosive limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityHeavier than airRelative densityNot available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot Evaluated

Other information

Specific gravity 1.11 at 25° C

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible

materials.

Incompatible materials Peroxides. Chlorine. Strong acids, alkalies and oxidizing agents.

Hazardous decomposition If product is burned hazardous gases such as oxides of carbon and nitrogen and various

products hydrocarbons may be produced.

11. Toxicological information

Information on likely routes of exposure

Ingestion Suspected of causing cancer by ingestion. However, ingestion is not likely to be a primary route of

occupational exposure.

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Material name: Penntrowel 250 Resin (All Colors)

Eye contact

Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Penntrowel 250 Resin (All C		rest results
Acute	solors) (cho r incure)	
Dermal		
LD50	Mouse	4136.0029 mg/kg estimated
	Rat	17391.3047 mg/kg estimated
Inhalation		
LC50	Rat	53.0435 mg/l, 4 Hours estimated
Oral		
LD50	Guinea pig	13739.8047 mg/kg estimated
	Mouse	14191.957 mg/kg estimated
	Rat	27229.4082 mg/kg estimated
Othor	Nat	27225.4002 mg/kg estimated
<i>Other</i> LD50	Mouse	8.5217 g/kg estimated
		Test Results
Components	Species	rest Results
(TOLYLOXY)METHYL]OXIR Acute	ANE (CAS 20447-14-3)	
Dermal		
LD50	Mouse	480 mg/kg
2550	Rat	> 2000 mg/kg
Inhalation	Nac	> 2000 Hig/kg
LC50	Rat	> 6.1 mg/l, 4 Hours
	Nac	> 0.1 mg/i, 4 mours
<i>Oral</i> LD50	Guinea pig	1650 mg/kg
LD30		
	Mouse	1700 mg/kg
	Rat	> 5000 mg/kg
Other		
LD50	Mouse	0.98 g/kg
PICHLOROHYDRIN (CAS 1	.06-89-8)	
Acute		
<i>Dermal</i>	Marra	250
LD50	Mouse	250 mg/kg
	Rabbit	300 mg/kg
Inhalation	D 1111	
LC50	Rabbit	445 ppm, 4 Hours
	Rat	500 ppm, 4 Hours
		250 ppm, 8 Hours
Oral		
LD50	Guinea pig	178 mg/kg
	Mouse	195 mg/kg
	Rabbit	345 mg/kg
	Rat	40 mg/kg
Other		
LD50	Guinea pig	118 mg/kg
LDSU	eamea pig	110 1119/119

Material name: Penntrowel 250 Resin (All Colors)

Components Species Test Results

Rat

133 mg/kg

* Estimates for product may be based on additional component data not shown. Skin corrosion/irritation

Serious eye damage/eye

Corrosive to skin and eyes.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

Direct contact with eyes may cause temporary irritation.

mutagenic or genotoxic.

Carcinogenicity Possible cancer hazard based on tests with laboratory animals. This product contains crystalline

silica. Silica is a known carcinogen; however in this encapsulated form the normal routes of

exposure are unavailable.

IARC Monographs. Overall Evaluation of Carcinogenicity

EPICHLOROHYDRIN (CAS 106-89-8) 2A Probably carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

EPICHLOROHYDRIN (CAS 106-89-8) Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

Not classified.

- single exposure

Specific target organ toxicity

Not classified.

- repeated exposure

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

Product Test Results Species Penntrowel 250 Resin (All Colors) (CAS Mixture) Crustacea EC50 Daphnia 6.75 mg/l, 48 hours estimated Fish LC50 Fish 3.7496 mg/l, 96 hours estimated **Test Results** Components **Species**

EPICHLOROHYDRIN (CAS 106-89-8)

Aquatic

Fish Fathead minnow (Pimephales promelas) 9.1 - 12.3 mg/l, 96 hours LC50

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Penntrowel 250 Resin (All Colors) > 3 **EPICHLOROHYDRIN** 0.45

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations. When this product as supplied is to be

discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPICHLOROHYDRIN)

Transport hazard class(es)

9 Class **Subsidiary risk Packing group** III **Environmental hazards**

Marine pollutant Yes **EmS** F-A, S-F

Read safety instructions, SDS and emergency procedures before handling. Special precautions for

Transport in bulk according to Not available. Annex II of MARPOL 73/78

and the IBC Code

IMDG



Marine pollutant



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

EPICHLOROHYDRIN (CAS 106-89-8) Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

EPICHLOROHYDRIN (CAS 106-89-8) 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable Threshold quantity planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
--	---	---

EPICHLOROHYDRIN 106-89-8 100 1000 lbs

SARA 311/312 Yes

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

EPICHLOROHYDRIN (CAS 106-89-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

EPICHLOROHYDRIN (CAS 106-89-8) **Safe Drinking Water Act** Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

EPICHLOROHYDRIN (CAS 106-89-8)

US. New Jersey Worker and Community Right-to-Know Act

EPICHLOROHYDRIN (CAS 106-89-8) 500 LBS

US. Pennsylvania RTK - Hazardous Substances

EPICHLOROHYDRIN (CAS 106-89-8)

US. Rhode Island RTK

EPICHLOROHYDRIN (CAS 106-89-8)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

EPICHLOROHYDRIN (CAS 106-89-8) Listed: October 1, 1987

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

EPICHLOROHYDRIN (CAS 106-89-8) Listed: September 1, 1996

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

	,	5 · · · · · ·	
Issue date		04-17-2015	

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Revision date 01-14-2016

Version # 02

References EPA: AQUIRE database

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision Information Product and Company Identification: Product and Company Identification

Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data

GHS: Classification

Material name: Penntrowel 250 Resin (All Colors)