SAFETY DATA SHEET



1. Identification

Product identifier Polymer Concrete Filler

Other means of identification Not available. Recommended use Not available.

Recommended restrictions Workers (and your customers or users in the case of resale) should be informed of the potential

> presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer Ergon Armor

Corrosion Engineering **Division Address** 300 Stevens Drive, Suite 310

Lester, PA 19113

sds@ergon.com E-mail

Hours of Operation 8:00 a.m. - 5:00 p.m. US Central Time

24-hour Customer 1-800-222-7122

Service

CHEMTREC (N. America) 1-800-424-9300 **CHEMTREC** 1-703-527-3887

(International)

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Carcinogenicity

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer.

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood.

Category 1B

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % | |
|---------------|--------------------------|------------|-----|--|
| QUARTZ | | 14808-60-7 | 100 | |

4. First-aid measures

Inhalation Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. If

breathing is difficult, give oxygen. Get medical attention.

Material name: Polymer Concrete Filler SDS US 1/6

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Eye contact In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15

minutes. Get medical attention.

Ingestion Do not induce vomiting without advice from poison control center. Never give anything by mouth to

a victim who is unconscious or is having convulsions. Get medical attention.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Not available.

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information IF exposed or concerned: Get medical advice/attention. Keep victim warm. Keep victim under

observation. Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Unsuitable extinguishing

media

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with

face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire-fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

Specific methods Cool containers exposed to flames with water until well after the fire is out.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up.

Methods and materials for containment and cleaning up

Not available.

7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Do not breathe dust. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation. Keep container tightly closed. Keep out of reach of children. Store in a cool, dry place. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|---------------------------------------|----------------|-------------|----------------------|
| QUARTZ (CAS 14808-60-7) | TWA | 0.3 mg/m3 | Total dust. |
| | | 0.1 mg/m3 | Respirable. |
| | | 2.4 mppcf | Respirable. |
| US. ACGIH Threshold Limit Valu | es | | |
| Components | Туре | Value | Form |
| QUARTZ (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide to Che | emical Hazards | | |
| Components | Туре | Value | Form |
| OUARTZ (CAS 14808-60-7) | TWA | 0.05 mg/m3 | Respirable dust. |

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Exposure guidelinesOccupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should

be monitored and controlled.

Appropriate engineering

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

controls occupational exposure limit is not exceeded.

5820 Version #: 01 Issue date: 08-13-2015

Material name: Polymer Concrete Filler

Individual protection measures, such as personal protective equipment

Goggles/face shield are recommended. Eye/face protection

Hand protection Wear protective gloves.

Skin protection

Other Wear appropriate clothing to prevent any possibility of skin contact with solutions containing 10%

or more of this chemical.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance Not available.

Physical state Solid.

Form Not available. Color Neutral Odor Odorless. **Odor threshold** Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and

boiling range

Not available.

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid None under normal conditions.

Incompatible materials Strong oxidizing agents. Strong bases.

Hazardous decomposition

products

Oxides of silicon.

Material name: Polymer Concrete Filler 5820 Version #: 01 Issue date: 08-13-2015

11. Toxicological information

Information on likely routes of exposure

Not available. Ingestion

Inhalation May cause cancer by inhalation.

Skin contact Not available.

Eye contact Harmful in contact with eyes.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Not available. **Acute toxicity** Skin corrosion/irritation Not available.

Serious eye damage/eye

irritation

Harmful in contact with eyes. None known.

Respiratory or skin sensitization

Respiratory sensitization Not available. Skin sensitization None known.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Hazardous by OSHA criteria. Occupational exposure to respirable dust and respirable crystalline

> silica should be monitored and controlled. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon,

IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

OUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Not classified. Reproductive toxicity Specific target organ toxicity Not available.

- single exposure

Not available.

Specific target organ toxicity - repeated exposure

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

This product has no known adverse effect on human health. **Further information**

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability Not available. **Bioaccumulative potential** Not available. Not available. Mobility in soil Other adverse effects Not available.

13. Disposal considerations

Disposal instructions When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code Not applicable. Not available. Waste from residues / unused products

Contaminated packaging No special precautions.

Material name: Polymer Concrete Filler 5820 Version #: 01 Issue date: 08-13-2015

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

QUARTZ (CAS 14808-60-7)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

QUARTZ (CAS 14808-60-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

OUARTZ (CAS 14808-60-7) Listed: October 1, 1988

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |

Material name: Polymer Concrete Filler 5820 Version #: 01 Issue date: 08-13-2015

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 08-13-2015

Version # 01

Further information HMIS® is a registered trade and service mark of the NPCA.

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: Polymer Concrete Filler

5820 Version #: 01 Issue date: 08-13-2015 6 / 6

SDS US