# SAFETY DATA SHEET



#### 1. Identification

**Product identifier** 6710 Resin (All Colors)

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1 Germ cell mutagenicity Category 2 Hazardous to the aquatic environment, Category 3

**Environmental hazards** 

long-term hazard

**OSHA** defined hazards Not classified.

**Label elements** 



Signal word Warning

**Hazard statement** Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Suspected

of causing genetic defects. Toxic to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Avoid breathing dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear protective

gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not

be allowed out of the workplace. Wash thoroughly after handling. Avoid release to the

environment.

Response Specific treatment see Section 4 of this SDS. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

**Storage** Store locked up.

Material name: 6710 Resin (All Colors) 6798 Version #: 02 Revision date: 04-26-2019 Issue date: 04-25-2019 **Disposal** 

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** 

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	<u></u>
PHENOL-FORMALDEHYDE POLYMEI GLYCIDYL ETHER	₹	28064-14-4	70 - 90
OXIRANE, 2-[(2-METHYLPHENOXY)METHYL]-		2210-79-9	1 - 20
BISPHENOL A-(EPICHLORHYDRIN) EPOXY RESIN		25068-38-6	1 - 10
OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL ] DERIVS.		68609-97-2	1 - 10

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a POISON CENTER or doctor/physician.

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema Skin contact

or other skin disorders: Seek medical attention and take along these instructions.

**Eve contact** Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

eyelids widely. If irritation persists: Continue flushing during transport to hospital. Take along these

instructions.

**Ingestion** Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. If

swallowed, do NOT induce vomiting. Never give anything by mouth to a victim who is unconscious

or is having convulsions.

Most important

symptoms/effects, acute and

delayed

**Indication of immediate** 

medical attention and special **General information** 

treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

May cause an allergic skin reaction. Dermatitis, Rash, May cause eye irritation, Skin irritation.

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of

the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Irritating and/or toxic gases may be emitted upon the products decomposition.

**Special protective equipment** 

and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk. Containers close to fire should be removed or cooled with water.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

Material name: 6710 Resin (All Colors)

SDS US 6798 Version #: 02 Revision date: 04-26-2019 Issue date: 04-25-2019

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid eating, drinking and smoking when using the product. Avoid heat, sparks, open flames and other ignition sources. Provide easy access to water supply and eye wash facilities.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Keep out of the reach of children.

### 8. Exposure controls/personal protection

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Impervious gloves.

**Other** Wear appropriate clothing to prevent any possibility of skin contact with solutions containing 10%

or more of this chemical.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state
Form
Not available.
Color
Not available.
Odor
Not available.
Odor threshold
Not available.
PH
Not available.

Material name: 6710 Resin (All Colors)

Melting point/freezing point Not available.

Initial boiling point and

boiling range

212 °F (100 °C) estimated

200.0 °F (93.3 °C) estimated Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

0.05 hPa estimated Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Density** 10.10 g/cm3

Specific gravity 1.21

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Material is stable under normal conditions.

**Possibility of hazardous** 

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials. Moisture.

Strong oxidizing agents. Strong acids. Alkalis. Peroxides. Strong bases. Amines. **Incompatible materials** 

**Hazardous decomposition** 

products

Smoke, carbon dioxide and carbon monoxide Aldehydes. Phenolics.

### 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. May cause an allergic skin reaction

Eye contact Causes serious eye damage. Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

**Acute toxicity** 

Material name: 6710 Resin (All Colors)

Components Species Test Results

OXIRANE, 2-[(2-METHYLPHENOXY)METHYL]- (CAS 2210-79-9)

<u>Acute</u> Dermal

LD50 Rat > 2000 mg/kg

**Inhalation** 

LC50 Rat > 6.1 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

**Skin corrosion/irritation**Not available. **Serious eye damage/eye**Not available.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** May cause an allergic skin reaction. **Germ cell mutagenicity** Suspected of causing genetic defects.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** Not available. **Specific target organ toxicity** Not available.

- single exposure

**Specific target organ toxicity** Not available.

- repeated exposure

**Aspiration hazard** Not available.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Product Species Test Results** 6710 Resin (All Colors) Aquatic Crustacea EC50 Daphnia 108 mg/l, 48 hours estimated Fish LC50 Fish 60 mg/l, 96 hours estimated **Test Results** Components Species

PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER (CAS 28064-14-4)

Aquatic

Acute

Fish LC50 Fish 1 - 10 mg/l

**Persistence and degradability** No data is available on the degradability of this substance.

**Bioaccumulative potential** Not available. **Mobility in soil** Not available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: 6710 Resin (All Colors)

### 13. Disposal considerations

**Disposal instructions** Dispose of waste and residues in accordance with local authority requirements. Empty containers or

liners may retain some product residues. Waste packaging should be recycled. Contract with a licensed chemical disposal agency. DO NOT pressurize, cut, heat, or weld containers; they may explode and cause injury or death. Empty product containers may contain product residue. DO NOT reuse empty containers without commercial cleaning or reconditioning. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty and carefully cleaned packages should be given to the authorized collecting points according to the IVA waste disposal concept. Recycle empty drums at an appropriate facility in accordance with current applicable laws and regulations, and product characteristics at time of disposal. Ensure drums are tightly sealed.

## 14. Transport information

DOT

UN number UN3082

**UN proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (PHENOL-FORMALDEHYDE POLYMER

GLYCIDYL ETHER, OXIRANE, 2-[(2-METHYLPHENOXY)METHYL]-)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III

Special precautions for

user Special provisions

8, 146, 335, IB3, T4, TP1, TP29

Not available.

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (PHENOL-FORMALDEHYDE POLYMER

GLYCIDYL ETHER, OXIRANE, 2-[(2-METHYLPHENOXY)METHYL]-)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 9L

**Special precautions for** 

user Other information Not available.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENOL-FORMALDEHYDE

POLYMER GLYCIDYL ETHER, OXIRANE, 2-[(2-METHYLPHENOXY)METHYL]-)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

**Environmental hazards** 


Marine pollutant No. F-A, S-F **EmS** Special precautions for Not available.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

**DOT; IATA; IMDG** 



# 15. Regulatory information

### **US federal regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

**Classified hazard** Acute toxicity (any route of exposure)

Skin corrosion or irritation categories

Serious eye damage or eye irritation Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

**Issue date** 04-25-2019 **Revision date** 04-26-2019

Version # 02

United States & Puerto Rico

NFPA ratings Health: 2

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Yes

materials or in any process, unless specified in the text.

**Revision information** HazReg Data: International Inventories

Material name: 6710 Resin (All Colors) SDS US 8/8