# SAFETY DATA SHEET



### 1. Identification

**Product identifier Tufchem Grout Filler** 

Other means of identification Not available. Recommended use Not available.

**Recommended restrictions** Workers (and your customers or users in the case of resale) should be informed of the potential

> presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

> > Category 1B

under applicable regulations.

# Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

**Manufacturer Ergon Armor** 

Corrosion Engineering **Division Address** 300 Stevens Drive, Suite 310

Lester, PA 19113 sds@ergon.com E-mail

**Hours of Operation** 8:00 a.m. - 5:00 p.m. US Central Time

24-hour Customer 1-800-222-7122

**Service** 

**CHEMTREC (N. America)** 1-800-424-9300 **CHEMTREC** 1-703-527-3887

(International)

# 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Carcinogenicity

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word

**Hazard statement** May cause cancer by inhalation.

**Prevention** Use only outdoors or in a well-ventilated area. Do not breathe dust. Wash thoroughly after

handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF

exposed or concerned: Get medical advice/attention.

**Storage** Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

# 3. Composition/information on ingredients

# **Substances**

Chemical name	name Common name and synonyms		%
OUARTZ		14808-60-7	100

### 4. First-aid measures

**Inhalation** Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. If

breathing is difficult, give oxygen. Get medical attention.

Material name: Tufchem Grout Filler SDS US **Skin contact** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

**Eye contact** In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15

minutes. Get medical attention.

**Ingestion** Do not induce vomiting without advice from poison control center. Never give anything by mouth to

a victim who is unconscious or is having convulsions. Get medical attention.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

Symptoms may be delayed.

**General information** IF exposed or concerned: Get medical advice/attention. Keep victim warm. Keep victim under

observation. Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

5. Fire-fighting measures

**Suitable extinguishing media** Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Not available.

Unsuitable extinguishing

media

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment and precautions for

firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with

face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire-fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

**Specific methods** Cool containers exposed to flames with water until well after the fire is out.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up.

Methods and materials for containment and cleaning up

Not available.

# 7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Do not breathe dust. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation. Keep container tightly closed. Keep out of reach of children. Store in a cool, dry place. Use care in handling/storage.

# 8. Exposure controls/personal protection

### **Occupational exposure limits**

US. OSHA Table Z-3 (29 CFR 1910.1000)

Material	Туре	Value	Form
Tufchem Grout Filler	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
<b>US. ACGIH Threshold Limit Valu</b>	es		
Material	Туре	Value	Form
Tufchem Grout Filler	TWA	0.025 mg/m3	Respirable fraction.
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

Material name: Tufchem Grout Filler

5658 Version #: 01 Issue date: 08-13-2015

**US. NIOSH: Pocket Guide to Chemical Hazards Value Form Material Type Tufchem Grout Filler** Respirable dust. TWA 0.05 mg/m3 **Form** Components **Value Type** 0.05 mg/m3 QUARTZ (CAS 14808-60-7) TWA Respirable dust.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should

be monitored and controlled.

**Appropriate engineering** 

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear dust-resistant safety goggles where there is danger of eye contact.

**Hand protection** Wear protective gloves.

Skin protection

Other It is a good industrial hygiene practice to minimize skin contact. Wear appropriate clothing to

prevent any possibility of skin contact.

When workers are facing concentrations above the exposure limit they must use appropriate Respiratory protection

certified respirators.

Thermal hazards Not available.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** Not available.

**Physical state** Solid.

**Form** Crystalline powder. Color Natural color. Odor Not available **Odor threshold** Not available. pН Not available. Melting point/freezing point 3110 °F (1710 °C)

Initial boiling point and

boiling range

4046 °F (2230 °C)

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

Not available.

upper (%)

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

< 0 kPa at 25 °C Vapor pressure Vapor density Not available. Relative density 2.65 estimated

Solubility(ies)

Solubility (water) Insoluble **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** 

**Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Molecular formula** O2Si

# 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid None under normal conditions.

**Incompatible materials** Strong oxidizing agents. Strong bases.

**Hazardous decomposition** 

products

Oxides of silicon.

# 11. Toxicological information

### Information on likely routes of exposure

Ingestion Not available.

Inhalation May cause cancer by inhalation.

Skin contact Not available.

**Eve contact** Harmful in contact with eyes.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

### Information on toxicological effects

Not available. **Acute toxicity** Skin corrosion/irritation Not available.

Serious eye damage/eye

Harmful in contact with eyes. None known.

irritation

### Respiratory or skin sensitization

Respiratory sensitization Not available. Skin sensitization None known.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Hazardous by OSHA criteria. Occupational exposure to respirable dust and respirable crystalline Carcinogenicity

silica should be monitored and controlled. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon,

France.)

### IARC Monographs. Overall Evaluation of Carcinogenicity

OUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

# US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity

- single exposure

**Aspiration hazard** 

May cause irritation to the respiratory system.

Specific target organ toxicity Causes damage to the following organs through prolonged or repeated exposure: Respiratory

- repeated exposure organs.

Not available.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

**Further information** This product has no known adverse effect on human health.

# 12. Ecological information

Not expected to be harmful to aquatic organisms. **Ecotoxicity** 

Persistence and degradability Not available.

Material name: Tufchem Grout Filler

Bioaccumulative potentialNot available.Mobility in soilNot available.Other adverse effectsNot available.

# 13. Disposal considerations

**Disposal instructions** Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Waste from residues / Not available.

unused products

**Contaminated packaging** Not available.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

# **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

# **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

# SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** Not regulated.

(SDWA)

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

### **US. Massachusetts RTK - Substance List**

QUARTZ (CAS 14808-60-7)

### **US. New Jersey Worker and Community Right-to-Know Act**

Not regulated

### **US. Pennsylvania RTK - Hazardous Substances**

QUARTZ (CAS 14808-60-7)

Material name: Tufchem Grout Filler

SDS US

F / G

#### **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

**Issue date** 08-13-2015

**Version #** 

**Further information** HMIS® is a registered trade and service mark of the NPCA.

References **ACGIH** 

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

> information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision Information** Product and Company Identification: Alternate Trade Names

Physical & Chemical Properties: Multiple Properties

5658 Version #: 01 Issue date: 08-13-2015

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).