SAFETY DATA SHEET



1. Identification

| Product identifier | EP39XX Series Part B Coating and Lining (All Colors) | | | | |
|---------------------------------------|---|--|--|--|--|
| Other means of identification | | | | | |
| Synonyms | EP3900 | | | | |
| Recommended use | Not available. | | | | |
| Recommended restrictions | None known. | | | | |
| Manufacturer/Importer/Suppl | ier/Distributor information | | | | |
| Company Name | ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc. | | | | |
| Address | 2829 Lakeland Drive | | | | |
| | Jackson, MS 39232 | | | | |
| | USA | | | | |
| After hours telephone number | 1-800-222-7122 | | | | |
| Normal work hours telephone number | 1-877-982-7667 | | | | |
| Website | www.ergonarmor.com | | | | |
| E-mail | sds@ergon.com | | | | |
| Emergency 24-hour telephone number | CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887 | | | | |
| Information on operation hours | 8:00 a.m. to 5:00 p.m. | | | | |

2. Hazard(s) identification

| Physical hazards | Not classified. | |
|-----------------------|---|-------------|
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Serious eye damage/eye irritation | Category 2 |
| | Sensitization, skin | Category 1 |
| | Germ cell mutagenicity | Category 2 |
| | Carcinogenicity | Category 1A |
| | Reproductive toxicity | Category 2 |
| | Specific target organ toxicity, repeated exposure | Category 1 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Combustible dust | |
| Label elements | | |



| Signal word | Danger |
|-------------------------|---|
| Hazard statement | Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause damage to organs through prolonged or repeated exposure. |
| Precautionary statement | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not breathe dust or mist. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection. |

| Response | If swallowed: Rinse mouth. Do NOT induce vomiting. Specific treatment see Section 4 of this S If skin irritation occurs, seek medical advice/attention. IF IN EYES: Rinse cautiously with water several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. IF ON SKIN (hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. | |
|--|--|--|
| Storage | Store locked up. | |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. | |
| Hazard(s) not otherwise classified (HNOC) | None known. | |
| Supplemental information | Not applicable. | |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-------------------------------------|--------------------------|------------|----------|
| QUARTZ | | 14808-60-7 | 15 - 25 |
| 4,4'-METHYLENEBIS(CYCLOHE) MINE) | (YLA | 1761-71-3 | 5 - 15 |
| BENZYL ALCOHOL | | 100-51-6 | 0 - 10 |
| PHENOL | | 108-95-2 | 1 - 5 |
| TRIENTINE | | 112-24-3 | 1 - 5 |
| [3-(aminoethyl)phenyl]methana e | amin | 1477-55-0 | 1 - < 3 |
| PHENOL, 4-NONYL-, BRANCHE | 0 | 84852-15-3 | 1 - < 3 |
| Other components below repor | table levels | | 40 - 100 |

4. First-aid measures

| Inhalation | Mayo to frach air. Call a physician if graptome dayalan ar persist |
|--|--|
| | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse. |
| Eye contact | Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. |
| Ingestion | Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel unwell. |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause temporary irritation. |
| Indication of immediate medical attention and special treatment needed | Treat symptomatically. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire-fighting measures

| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
|---|---|
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed: |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. | | | |
|---|--|--|--|--|
| Methods and materials for containment and cleaning up | This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. | | | |
| | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. | | | |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. | | | |
| | Never return spills to original containers for re-use. | | | |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. | | | |
| 7 Handling and storage | | | | |

7. Handling and storage

| Precautions for safe handling | Avoid prolonged exposure. Observe good industrial hygiene practices. |
|--|--|
| Conditions for safe storage, including any | Store in original tightly closed container. |
| incompatibilities | |

8. Exposure controls/personal protection

Occupational exposure limits

| Components | Туре | Value | Form |
|---|-------------------------|-------------|----------------------|
| PHENOL (CAS 108-95-2) | PEL | 19 mg/m3 | |
| | | 5 ppm | |
| QUARTZ (CAS 14808-60-7) | PEL | 0.05 mg/m3 | Respirable dust. |
| US. OSHA Table Z-3 (29 CFR 1910.10 | 00) | | |
| Components | Туре | Value | Form |
| QUARTZ (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable. |
| | | 2.4 mppcf | Respirable. |
| US. ACGIH Threshold Limit Values | | | |
| Components | Туре | Value | Form |
| [3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0) | Ceiling | 0.1 mg/m3 | |
| PHENOL (CAS 108-95-2) | TWA | 5 ppm | |
| QUARTZ (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide to Chemica | l Hazards | | |
| Components | Туре | Value | Form |
| [3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0) | Ceiling | 0.1 mg/m3 | |
| PHENOL (CAS 108-95-2) | Ceiling | 60 mg/m3 | |
| | | 15.6 ppm | |
| | TWA | 19 mg/m3 | |
| | | 5 ppm | |
| QUARTZ (CAS 14808-60-7) | TWA | 0.05 mg/m3 | Respirable dust. |
| US. Workplace Environmental Exposu | ıre Level (WEEL) Guides | | |
| Components | Туре | Value | |
| BENZYL ALCOHOL (CAS 100-51-6) | TWA | 44.2 mg/m3 | |

| Components | Тур | e | | Val | ue |
|--|---|--------------------|--------------|------------------------------------|--|
| | | | | 10 | ppm |
| TRIENTINE (CAS 112-24-3) | TWA | ١ | | 6 m | ng/m3 |
| | | | | 1 p | pm |
| ological limit values | | | | | |
| ACGIH Biological Exposure | e Indices | | | | |
| Components V | /alue | Determ | ninant | Specimen | Sampling Time |
| PHENOL (CAS 108-95-2) 2 | 50 mg/g | Phenol hydrolys | - | Creatinine in urine | * |
| * - For sampling details, pleas | se see the source doo | ument. | | | |
| posure guidelines | | | | | |
| US - California OELs: Skin | designation | | | | |
| [3-(aminoethyl)phenyl]m PHENOL (CAS 108-95-2) US - Minnesota Haz Subs: | - | - | | absorbed throug absorbed throug | |
| PHENOL (CAS 108-95-2) | | ppilos | Skin des | signation applies | A. |
| US - Tennessee OELs: Skir | n designation | | 0 | | - |
| [3-(aminoethyl)phenyl]m PHENOL (CAS 108-95-2) | ethanamine (CAS 14) | 77-55-0) | | absorbed throug absorbed throug | |
| US ACGIH Threshold Limit | : Values: Skin desig | gnation | | - | |
| [3-(aminoethyl)phenyl]m PHENOL (CAS 108-95-2) | ethanamine (CAS 14) | 77-55-0) | | absorbed throug absorbed throug | |
| US NIOSH Pocket Guide to | o Chemical Hazards | s: Skin de | signation | l | |
| [3-(aminoethyl)phenyl]m PHENOL (CAS 108-95-2) | - | 77-55-0) | | absorbed throug absorbed throug | |
| US WEEL Guides: Skin des | - | | | | |
| TRIENTINE (CAS 112-24- US. OSHA Table Z-1 Limits | 2 | nts (29 C | | absorbed throug 1000) | jh the skin. |
| PHENOL (CAS 108-95-2) | | | Can be | absorbed throug | gh the skin. |
| ppropriate engineering ntrols | Provide adequate v occupational expos | | | | I extraction, to ensure that the defined |
| dividual protection measure | | - | | | |
| Eye/face protection | Wear safety glasse | s; chemica | l goggles | (if splashing is p | ossible). |
| Skin protection | Chaminal maintaint | | | | |
| Hand protection | Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. | | | | |
| Other | Wear suitable prote | | - | | |
| Respiratory protection | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. | | | | |
| Thermal hazards | Wear appropriate t | hermal pro | otective clo | thing, when neo | cessary. |
| eneral hygiene nsiderations | Always observe good personal hygiene measures, such as washing after handling the material an before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment remove contaminants. | | | | |
| Physical and chemical | properties | | | | |
| ppearance | Liquid. | | | | |

| Appearance | Liquid. |
|----------------|-------------------------|
| Physical state | Solid. |
| Form | Liquid. |
| Color | Golden to Light Amber |
| Odor | Ammoniacal. Amine-like. |
| Odor threshold | Not available. |
| рН | Alkaline |
| | |

| Me | elting point/freezing point | 4.64 °F (-15.2 °C) estimated |
|-----|--|------------------------------|
| | itial boiling point and iling range | 212 °F (100 °C) estimated |
| Fla | ash point | 174.2 °F (79.0 °C) estimated |
| Ev | aporation rate | Not available. |
| Fla | ammability (solid, gas) | Not available. |
| Up | per/lower flammability or e | xplosive limits |
| | Flammability limit - lower (%) | 3 % estimated |
| | Flammability limit - upper (%) | 10 % estimated |
| | Explosive limit - lower (%) | Not available. |
| | Explosive limit - upper (%) | Not available. |
| Va | por pressure | Not available. |
| Va | por density | Not available. |
| Re | lative density | Not available. |
| So | lubility(ies) | |
| | Solubility (water) | Partial |
| | rtition coefficient -octanol/water) | Not available. |
| Au | to-ignition temperature | 640 °F (337.78 °C) estimated |
| De | composition temperature | Not available. |
| Vis | scosity | Not available. |
| Ot | her information | |
| | Density | 11.15 lb/gal estimated |
| | | |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport | | | |
|---------------------------------------|--|--|--|--|
| Chemical stability | Material is stable under normal conditions. | | | |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. | | | |
| Conditions to avoid | Avoid temperatures exceeding the flash point. Contact with incompatible materials. | | | |
| Incompatible materials | Strong oxidizing agents. | | | |
| Hazardous decomposition products | No hazardous decomposition products are known. | | | |

11. Toxicological information

Information on likely routes of exposure

| InhalationProlonged inhalation may be harmful.Skin contactCauses skin irritation. Causes severe skin burns and eye da | | |
|--|---|--|
| | | |
| Ingestion | May be harmful if swallowed and enters airways. | |
| Symptoms related to the physical, chemical and toxicological characteristicsDirect contact with eyes may cause temporary irritation. | | |
| Information on toxicological effects | | |

Acute toxicity

| Components | Species | | Test Results | |
|--|--|----------------------------|---------------------------------|--|
| BENZYL ALCOHOL (CAS 100-51-6) |) | | | |
| <u>Acute</u> | | | | |
| Dermal | | | | |
| LD50 | Rabbit | | 2000 mg/kg | |
| Inhalation | | | | |
| LC50 | Rat | | 1000 mg/l, 8 Hours | |
| * Estimates for product may l | be based on additional compo | nent data not shown. | | |
| Skin corrosion/irritation | Causes severe skin burns a | nd eye damage. | | |
| Serious eye damage/eye irritation | Causes serious eye damage | | | |
| Respiratory or skin sensitizati | on | | | |
| Respiratory sensitization | May cause allergy or asthm | a symptoms or breathing | difficulties if inhaled | |
| Skin sensitization Causes skin burns. | | | | |
| Germ cell mutagenicity | Suspected of causing genet | ic defects. | | |
| Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This contains crystalline silica. Silica is a known carcinogen; however in this encapsulated for normal routes of exposure are unavailable. | | | | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | | | |
| PHENOL (CAS 108-95-2) QUARTZ (CAS 14808-60- | 2) 3 Not classifiable as to carcinogenicity to humans. | | | |
| QUARTZ (CAS 14808-60- US. National Toxicology P | 0-7) Cancer Program (NTP) Report on Carcinogens | | | |
| QUARTZ (CAS 14808-60- | 7) | Known To Be Human | a Carcinogen. | |
| Reproductive toxicity | This product is not expected | d to cause reproductive o | r developmental effects | |
| Specific target organ toxicity - single exposure | | | | |
| Specific target organ toxicity - repeated exposure | organ toxicity Causes damage to organs through prolonged or repeated exposure. | | | |
| Aspiration hazard | Not available. | | | |
| Chronic effects | Prolonged inhalation may b | e harmful. | | |
| 12. Ecological information | on | | | |
| Ecotoxicity | The product contains a sub | stance which is toxic to a | quatic organisms. | |
| Product | Species | | Test Results | |
| EP39XX Series Part B Coating | • | | | |
| Aquatic | 5 (| | | |
| Crustacea | EC50 Daphnia | | 1.712 mg/l, 48 hours estimated | |
| Fish | LC50 Fish | | 5.5484 mg/l, 96 hours estimated | |
| Components | Species | | Test Results | |
| BENZYL ALCOHOL (CAS 100- | | | | |
| Aquatic | , | | | |
| Fish | LC50 Bluegill (Lep | omis macrochirus) | 10 mg/l, 96 hours | |
| | (Lob | | | |

PHENOL (CAS 108-95-2)

| Aquatic | | | |
|---------------------|--------------------|---|--------------------------|
| Crustacea | EC50 | Water flea (Daphnia obtusa) | 4.7 - 6.4 mg/l, 48 hours |
| Fish | LC50 | Asiatic knifefish (Notopterus notopterus) | 8 - 8.25 mg/l, 96 hours |
| PHENOL, 4-NONYL-, E | BRANCHED (CAS 8485 | 2-15-3) | |
| Aquatic | | | |
| Crustacea | EC50 | Clam (Mulinia lateralis) | 0.0379 mg/l, 48 hours |

| Components | | Species | Test Results |
|-------------------------|-------------------|--|---|
| Fish | LC50 | Winter flounder (Pleuronectes americanus) | 0.017 mg/l, 96 hours |
| * Estimates for product | may be based on | additional component data not shown. | |
| ersistence and degrada | bility No data is | available on the degradability of this pro | oduct. |
| ioaccumulative potentia | al No data a | vailable. | |
| Partition coefficient | n-octanol / wat | er (log Kow) | |
| BENZYL ALCOHOL | | 1.1 | |
| PHENOL | | 1.46 | |
| PHENOL, 4-NONYL-, BR | ANCHED | 5.71 | |
| lobility in soil | No data a | vailable. | |
| ther adverse effects | | | e depletion, photochemical ozone creation tential) are expected from this component. |

13. Disposal considerations

| Disposal instructions | When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261. |
|--|--|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

| | • • |
|--|---|
| PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) | 1.0 % One-Time Export Notification only. |
| TSCA Chemical Action Plans, Chemicals of Concern | |
| PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) | Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan |
| CERCLA Hazardous Substance List (40 CFR 302.4) | |
| PHENOL (CAS 108-95-2) | Listed. |
| SARA 304 Emergency release notification | |
| PHENOL (CAS 108-95-2) | 1000 LBS |
| OSHA Specifically Regulated Substances (29 CFR 1910 | .1001-1052) |
| QUARTZ (CAS 14808-60-7) | Cancer |
| | lung effects |
| | immune system effects |
| | kidney effects |
| | |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

| Chemical name | CAS number | Reportable quantity (pounds) | Threshold planning quantity (pounds) | Threshold planning quantity, lower value (pounds) | Threshold planning quantity, upper value (pounds) |
|---|--|---|--|--|--|
| PHENOL | 108-95-2 | 1000 | | 500 | 10000 |
| Classified hazard categories | Skin corros Serious eye Respiratory Germ cell r Carcinogen Reproducti | ity (any route of ion or irritation e damage or eye or skin sensitiza nutagenicity iicity ve toxicity | irritation | xposure) | |
| SARA 313 (TRI reporti Chemical name | ng) | CA | AS number | % by wt. | |
| PHENOL PHENOL, 4-NONYL-, | BRANCHED | 1 | 08-95-2 4852-15-3 | 1 - 5 1 - < 3 | - |
| er federal regulations | | | | | |
| Clean Air Act (CAA) Se | ction 112 Haza | rdous Air Pollu | tants (HAPs) List | | |
| PHENOL (CAS 108-95 Clean Air Act (CAA) Se | | cidental Releas | e Prevention (40 CF | R 68.130) | |
| Not regulated. | | | | | |
| Safe Drinking Water A (SDWA) | ct Not regulat | ed. | | | |
| FEMA Priority Subs PHENOL (CAS 10 | - | tory Health and | d Safety in the Flavo Low priority | or Manufacturing W | /orkplace |
| state regulations | | | | | |
| California Proposition | 65 | | | | |
| WARNING | | | nd Toxic Enforcement cals currently listed as | | on 65): This material is ductive toxins. |
| California Proposit | ion 65 - CRT: L | isted date/Card | cinogenic substance | | |
| QUARTZ (CAS 14 | | ····· | Listed: October 1, | | |
| US. California. Can 69502.3, subd. (a) PHENOL (CAS 10 QUARTZ (CAS 14 |))8-95-2) | als List. Safer C | onsumer Products R | egulations (Cal. Co | ode Regs, tit. 22, |
| ernational Inventories | | | | | |
| Country(s) or region Australia | Inventory Australian | | mical Substances (AICS | | On inventory (yes/no)* Yes |
| Canada | | Substances List (E | - | <i>,</i> | Yes |
| Canada | | stic Substances List (L | • | | No |
| China | | | cal Substances in China | | Yes |
| | , | 5 | ing Commercial Chemi | () | Yes |
| Europe | (EINECS) | | - | | |
| Europe | - | | emical Substances (EL | - | No |
| Japan | | - | ew Chemical Substance | es (ENCS) | No |
| Korea | - | emicals List (ECL | .) | | Yes |
| New Zealand | | nd Inventory | | | Yes |
| Philippines | Philippine I | inventory of Cher | micals and Chemical Su | Ibstances | Yes |

(PICCS)

4926 Version #: 04 Revision date: 01-09-2020 Issue date: 02-26-2015

Yes

Country(s) or region Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 02-26-2015 |
|----------------------|---|
| Revision date | 01-09-2020 |
| Version # | 04 |
| NFPA ratings | Health: 2 Flammability: 2 Instability: 0 |
| Disclaimer | The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. |
| Revision information | Hazard(s) identification: Response Hazard(s) identification: Prevention Hazard(s) identification: Supplemental information Composition / Information on Ingredients: Ingredients Fire-fighting measures: Specific hazards arising from the chemical Regulatory Information: United States GHS: Classification |