SAFETY DATA SHEET



1. Identification

Product identifier NOVOCOAT™ NOVOFLOOR PART B

Other means of identification None.

Recommended useNot available. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

USA

After hours telephone

number

Normal work hours

telephone number

1-877-982-7667

1-800-222-7122

Website www.ergonarmor.com
E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1

Serious eye damage/eye irritation Category 1
Sensitization, respiratory Category 1
Sensitization, skin Category 1
Germ cell mutagenicity Category 2
Reproductive toxicity Category 2
Specific target organ toxicity, single exposure Category 1

Specific target organ toxicity, single exposure Category 3 narcotic effects

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements



Signal word Danger

Hazard statementCauses severe skin burns and eye damage. May cause allergic skin reaction. Causes serious eye

damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause drowsiness or dizziness. Causes damage to organs through prolonged or

repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate

ventilation wear respiratory protection.

Response IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

> water/shower. If skin irritation or rash occurs: Get medical advice/attention, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. Specific treatment see Section 4 of

this SDS.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
[3-(AMINOMETHYL)PHENYL]METHA NAMINE		1477-55-0	10 - 30
3-AMINOMETHYL-3,5,5-TRIMETHYL CYCLOHEXYLAMINE		2855-13-2	10 - 30
FORMALDEHYDE, POLYMER WITH N1,N2-BIS(2-AMINOETHYL)-1,2-ET HANEDIAMINE AND PHENOL		32610-77-8	10 - 30
PHENOL, 4-NONYL-, BRANCHED		84852-15-3	10 - 30
Other components below reportable	levels		16

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance.

Call a physician or poison control center immediately.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns

must be treated by a physician. For minor skin contact, avoid spreading material on unaffected skin. Wash contaminated clothing before reuse. Wash clothing separately before reuse. Call a

physician or poison control center immediately.

Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, Eye contact

DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Call a physician or poison

control center immediately.

Ingestion Rinse mouth thoroughly. Do not induce vomiting. If vomiting occurs, keep head low so that

stomach content doesn't get into the lungs. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not use mouth-to-mouth method if victim ingested the

substance. Call a physician or poison control center immediately.

Most important symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash. Irritating to mouth, throat, and stomach. May cause an allergic skin reaction. Nausea, vomiting, Shortness of breath.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

Water fog. Alcohol foam. Foam. Dry chemical powder. Carbon dioxide (CO2). Water. Do not use water jet as an extinguisher, as this will spread the fire.

media

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for

firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Fire fighting

Specific methods

equipment/instructions

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. In the event of fire, cool tanks with water spray. Cool containers exposed to flames with water until well after the fire is out.

Water runoff can cause environmental damage.

Move containers from fire area if you can do so without risk.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Extinguish all flames in the vicinity.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. When using do not eat or drink. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Use personal protective equipment as required. Do not get this material on clothing. Observe good industrial hygiene practices. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from food, drink and animal feedingstuffs.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values (TLV)

Components	Туре	Value
[3-(AMINOMETHYL)PHENYL]METHANAMINE (CAS 1477-55-0)	Ceiling	0.018 ppm

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) **Components Value Type**

[3-(AMINOMETHYL)PHENYL **IMETHANAMINE (CAS** 1477-55-0)

Ceiling 0.1 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

[3-(AMINOMETHYL)PHENYL]METHANAMINE Can be absorbed through the skin.

(CAS 1477-55-0)

US - Tennessee OELs: Skin designation

[3-(AMINOMETHYL)PHENYL]METHANAMINE Can be absorbed through the skin.

(CAS 1477-55-0)

US ACGIH Threshold Limit Values: Skin designation

[3-(AMINOMETHYL)PHENYL]METHANAMINE Danger of cutaneous absorption

(CAS 1477-55-0)

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

[3-(AMINOMETHYL)PHENYL]METHANAMINE Can be absorbed through the skin.

(CAS 1477-55-0)

Appropriate engineering Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

controls

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles and face shield are recommended.

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves. Nitrile.

Skin protection should include disposable chemical resistant coveralls with hoods. Hand protection Other

should include appropriate chemical resistant disposable gloves, such as nitrile rubber.

Respiratory protection If in spray application, respiratory protection should include at a minimum a fullface air purifying

> respirator (APR) with combination particulate (P100) and organic vapor (OV) cartridges. A full-face APR has an assigned protection factor (APF) of 50, as designated by OSHA. As a substitute, a PAPR with a loose-fitting hood could be used as respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Do not get in eyes. Do not get this material in contact with skin. Do not get this material on clothing. Wash hands before breaks and immediately after handling the

product. Keep away from food and drink.

9. Physical and chemical properties

Appearance Liauid. **Physical state** Liquid.

> **Form** Liauid.

Color Colourless to light yellow.

Odor Amine-like. **Odor threshold** Not available. Alkaline pН

Melting point/freezing point

Initial boiling point and

>476.6 °F (>247 °C)

Not available.

boiling range Flash point

>199.4 °F (>93.0 °C)

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits **Explosive limit - lower** Not available.

(%)

Explosive limit - upper

(%)

Not available.

Vapor pressure 13.3 Pa Vapor density Not available. Relative density Not available.

Material name: NOVOCOAT™ NOVOFLOOR PART B

Solubility(ies)

Solubility (water) Partially soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Viscosity

Other information

Density 8.20 lb/gal estimated

Specific gravity 0.98 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization can occur with elevated temperatures.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Acids. Alkaline metals. Amines. Peroxides. Fluorine. Chlorine. Phenols. Strong acids, alkalies and

oxidizing agents.

Hazardous decomposition

products

Toxic gas. If product is burned hazardous gases such as oxides of carbon and nitrogen and various hydrocarbons may be produced. Upon combustion, oxides of chlorine may be released.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Vapors have a narcotic effect and may cause headache,

fatigue, dizziness and nausea.

Skin contact Causes severe skin burns and eye damage.

Eye contact Causes serious eye damage. **Ingestion** May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes and mucous membranes. Burning pain and severe corrosive skin damage. Coughing. Shortness of breath. Irritating to mouth, throat, and stomach. Vapors have a narcotic effect and may cause headache, fatique, dizziness and nausea. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Exposure may cause temporary irritation, redness, or discomfort. May cause an allergic skin reaction. Dermatitis. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
------------	---------	--------------

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)

Acute Dermal

LD50 Rabbit 2140 mg/kg

Oral

LD50 Rat 1600 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

^{*} Estimates for product may be based on additional component data not shown.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicitySuspected of damaging fertility or the unborn child. Avoid exposure to women during early

pregnancy.

Specific target organ toxicity

- single exposure

 $\hbox{\it May cause drowsiness or dizziness. Causes damage to organs. Causes central nervous system}$

effects. Eyes. Narcotic effects. May cause drowsiness and dizziness.

Specific target organ toxicity

- repeated exposure

Causes damage to organs through prolonged or repeated exposure. Blood. Skin. Respiratory

system. Liver. Kidneys.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life. Components of this product are hazardous to aquatic life. Accumulation in

aquatic organisms is expected.

ProductSpeciesTest ResultsNOVOCOAT™ NOVOFLOOR PART BAquaticCrustaceaEC50Daphnia0.1113 mg/l, 48 hours

Crustacea EC50 Daphnia 0.1112 mg/l, 48 hours estimated
Fish LC50 Fish 0.05 mg/l, 96 hours estimated

Components Species Test Results

3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE (CAS 2855-13-2)

Aquatic Acute

Acute

Crustacea EC50 Water flea (Daphnia magna) 14.6 - 21.5 mg/l, 48 hours

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)

Aquatic

Acute

Crustacea EC50 Clam (Mulinia lateralis) 0.0379 mg/l, 48 hours
Fish LC50 Winter flounder (Pleuronectes 0.017 mg/l, 96 hours

americanus)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

PHENOL, 4-NONYL-, BRANCHED 5.71

Mobility in soil No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

UN number UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s. (PHENOL, 4-NONYL-,

BRANCHED), MARINE POLLUTANT

Transport hazard class(es)

Class 8
Subsidiary hazard Label(s) 8
Packing group III

Environmental hazards

Marine pollutant Yes

Special precautions for

user

Special provisions IB3, T7, TP1, TP28

Not assigned.

Packaging exceptions154Packaging non bulk203Packaging bulk241

IATA

UN number UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s. (PHENOL, 4-NONYL-, BRANCHED)

Transport hazard class(es)

Class 8
Subsidiary hazard Packing group III
Environmental hazards YES
ERG Code 8L

Special precautions for Not assigned.

user

Other information

Passenger and cargo A

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN2735

UN proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (PHENOL,

4-NONYL-, BRANCHED), MARINE POLLUTANT

Transport hazard class(es)

Class 8
Subsidiary hazard Packing group III
Environmental hazards

Marine pollutantYesEmSF-A, S-BSpecial precautions forNot assigned.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

Annex II of MARPOL 73/70

and the IBC Code

DOT



IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) 1.0 % One-Time Export Notification only.

TSCA Chemical Action Plans, Chemicals of Concern

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan Toxic Substances Control Act (TSCA) Section 5(a)(2) Proposed Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) 721.10765

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Skin corrosion or irritation

categories

Serious eye damage or eye irritation Respiratory or skin sensitization

Germ cell mutagenicity Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
 PHENOL, 4-NONYL-, BRANCHED	84852-15-3	10 - 30

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

 Issue date
 06-15-2020

 Revision date
 03-22-2024

Version # 03

NFPA ratings Health: 4

Flammability: 0 Instability: 0

References EPA: AQUIRE database

US. IARC Monographs on Occupational Exposures to Chemical Agents

 $\ensuremath{\mathsf{HSDB}}\xspace$ - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).