SAFETY DATA SHEET



1. Identification

Product identifier EZ Grout Hardener

Other means of identification None.

Recommended useNot available. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

HS

After hours telephone

number

Normal work hours

telephone number

1-877-982-7667

1-800-222-7122

Website www.ergonarmor.com
E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 2

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1
Sensitization, skin Category 1
Reproductive toxicity Category 2

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements



Signal word Danger

Hazard statement Fatal if inhaled. Causes serious eye damage. Suspected of damaging fertility or the unborn child.

May cause an allergic skin reaction. Causes severe skin burns and eye damage.

Precautionary statement

PreventionObtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face

protection. In case of inadequate ventilation wear respiratory protection.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Specific treatment see Section 4 of this SDS. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. IF exposed or

concerned: Get medical advice/attention.

Material name: EZ Grout Hardener

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Tofa, reaction products with TEPA		68953-36-6	20 - 40
Diethylenetriamine		111-40-0	0 - 20
Phenol, 4,4'-(1-methylethylidene)bis-		80-05-7	0 - 20
TETRAETHYLENE PENTAMINE		112-57-2	2 - 12
Other components below reportable	levels		47.5

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or

poison control center immediately. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Remove and isolate contaminated clothing and shoes.

Immediately flush skin with plenty of water. Wash off with soap and plenty of water. Wash off with soap and water. Rinse skin with water/shower. Get medical attention immediately. For minor

skin contact, avoid spreading material on unaffected skin. Call a POISON CENTER or

doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. Get medical attention if irritation develops and persists. Wash clothing separately before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Rinse cautiously with water for

several minutes. Rinse with water. Flush eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. Get medical

attention if irritation develops and persists.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Call

Irritation of eyes and mucous membranes. Irritant effects.

a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If ingestion of a large amount does occur, call a poison control center immediately. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed In case of shortness of breath, give oxygen. Keep victim warm. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If you feel unwell, seek medical advice (show the label where possible). Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Carbon dioxide or dry powder.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Irritating and toxic gases or fumes may be released during a fire.

Special protective equipment and precautions for

equipment/instructions

Wear suitable protective equipment.

firefighters

Fire fighting

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Material name: EZ Grout Hardener

5278 Version #: 05 Revision date: 03-22-2023 Issue date: 04-12-2019

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. No special environmental precautions required.

Environmental precautions

7. Handling and storage Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Do not get this material on clothing. Avoid contact with clothing. Wear personal protective equipment. Do not use in areas without adequate ventilation. Wear positive pressure self-contained breathing apparatus (SCBA). When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash thoroughly after handle and open container with care. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Store in original tightly closed container. Keep container tightly closed. Keep container dry. Store in a closed container away from incompatible materials. Keep out of the reach of children. Use care in handling/storage. Store in accordance with local/regional/national/international regulation.

8. Exposure controls/personal protection

Occupational exposure limits

US.	ACGIH	Threshold	Limit Values

Components	Туре	Value
Diethylenetriamine (CAS 111-40-0)	TWA	1 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
Diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m3	

1 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides			
Components	Туре	Value	Form
TETRAETHYLENE	TWA	5 mg/m3	Aerosol.

PENTAMINE (CAS 112-57-2)

1 ppm Aerosol.

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated.

US - California OELs: Skin designation

Diethylenetriamine (CAS 111-40-0)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Diethylenetriamine (CAS 111-40-0) Skin designation applies.

US ACGIH Threshold Limit Values: Skin designation

Diethylenetriamine (CAS 111-40-0)

Danger of cutaneous absorption

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Diethylenetriamine (CAS 111-40-0)

Can be absorbed through the skin.

Material name: EZ Grout Hardener

5278 Version #: 05 Revision date: 03-22-2023 Issue date: 04-12-2019

3 / 9

US WEEL Guides: Skin designation

TETRAETHYLENE PENTAMINE (CAS 112-57-2) Can be absorbed through the skin.

Appropriate engineering

Ensure adequate ventilation, especially in confined areas. General ventilation normally adequate.

controls

Provide adequate general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear eye/face protection. Chemical goggles are recommended. Wear

safety glasses with side shields (or goggles). Face-shield. Not normally needed.

Skin protection

Hand protection Wear protective gloves. Not normally needed.

Wear suitable protective clothing. Wear protective gloves. Wear chemical protective equipment Other

> that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Normal work clothing (long sleeved shirts and long pants) is recommended.

When workers are facing concentrations above the exposure limit they must use appropriate Respiratory protection

certified respirators.

Thermal hazards Not available.

General hygiene considerations

When using, do not eat, drink or smoke. Avoid contact with eyes. Avoid contact with skin. Avoid contact with clothing. Wash hands after handling and before eating. Keep away from food and

drink. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance Liquid. **Physical state** Liquid. **Form** Liquid. Amber. Color Ammoniacal Odor

рH > 7

Melting point/freezing point Not available.

Initial boiling point and

boiling range

Odor threshold

> 374 °F (> 190 °C)

Not available.

Flash point 259.0 °F (126.1 °C)

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure < 5.17 mm Hg Not available. Vapor density Relative density Not available.

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Specific gravity 0.99

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Material name: EZ Grout Hardener SDS US

5278 Version #: 05 Revision date: 03-22-2023 Issue date: 04-12-2019

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

None under normal conditions.

Incompatible materials

Avoid contact with acids and alkalies. Strong oxidizing substances. Copper.

Hazardous decomposition

products

No dangerous reaction known under conditions of normal use. No hazardous decomposition

products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Fatal if inhaled.

Skin contact Causes skin burns. May cause sensitization by skin contact.

Eye contact Causes serious eye damage.

Ingestion Harmful if swallowed. Not classified.

Symptoms related to the physical, chemical and toxicological characteristics Irritating to eyes, respiratory system and skin.

Information on toxicological effects

Acute toxicity Fatal if inhaled.

Test Results Components **Species**

Diethylenetriamine (CAS 111-40-0)

Acute Oral

LD50 Rat 1080 mg/kg

Causes severe skin burns and eye damage.

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Causes severe skin burns. May cause sensitization by skin contact.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic. Not available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure

Not available.

Aspiration hazard Not available.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Product Species Test Results

EZ Grout Hardener

Aquatic

Crustacea EC50 Daphnia 92, 48 hours Fish LC50 Fish 52.5877, 96 hours

Material name: EZ Grout Hardener SDS US **Product Species Test Results**

Acute

Crustacea EC50 Daphnia 92, 48 hours estimated

LC50 Fish 35.8093, 96 hours estimated Fish

Test Results Components Species

Diethylenetriamine (CAS 111-40-0)

Aquatic

Acute

Fish LC50 Guppy (Poecilia reticulata) 1014, 96 hours

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7)

Aquatic

Acute

EC50 Crustacea Water flea (Daphnia magna) >= 9.2 - <= 11.4 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) >= 3.6 - <= 5.4 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Phenol, 4,4'-(1-methylethylidene)bis-3.32 TETRAETHYLENE PENTAMINE 1.503

Mobility in soil Not available. Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in

accordance with local/regional/national/international regulations. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the

time of disposal, whether the product meets RCRA criteria for hazardous waste.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Not applicable.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s (Polyamidoamine)

Transport hazard class(es)

Class 8 **Subsidiary risk** Label(s) 8 **Packing group**

Special precautions for Not available.

user

Special provisions B2, IB2, T11, TP1, TP27

Packaging exceptions 154 Packaging non bulk 202 Packaging bulk 242

ΤΔΤΔ

UN number UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s.

Transport hazard class(es) Class

8 **Subsidiary risk Packing group** ΙΙ

Material name: EZ Grout Hardener SDS US

^{*} Estimates for product may be based on additional component data not shown.

Environmental hazards No. **ERG Code** 8L

Special precautions for Not available.

user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN2735

UN proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S.

Transport hazard class(es)

Class 8 **Subsidiary risk** Packing group ΙΙ **Environmental hazards**

Marine pollutant No. F-A, S-B **EmS** Not available. Special precautions for

Transport in bulk according to Not available. Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7) Bisphenol A Action Plan

CERCLA Hazardous Substance List (40 CFR 302.4)

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Material name: EZ Grout Hardener 7/9

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Acute toxicity (any route of exposure)

categories Skin corrosion or irritation

> Serious eye damage or eye irritation Respiratory or skin sensitization

Reproductive toxicity

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Phenol, 4,4'-(1-methylethylidene)bis-80-05-7 0 - 20

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7)

California Proposition 65



WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Developmental toxin

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7) Listed: December 18, 2020

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7) Listed: May 11, 2015

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 04-12-2019 Revision date 03-22-2023

Version # 05

Material name: EZ Grout Hardener 8/9

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Further information HMIS® is a registered trade and service mark of the NPCA.

NFPA ratings

Health: 3 Flammability: 0 Instability: 0

References **ACGIH**

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer**

> information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Composition/information on ingredients: Composition comments **Revision information**

Handling and storage: Precautions for safe handling Physical & Chemical Properties: Multiple Properties Stability and reactivity: Possibility of hazardous reactions

Stability and reactivity: Reactivity Toxicological information: Reproductivity Toxicological information: Further information Regulatory information: US federal regulations Regulatory information: US state regulations Regulatory information: California Proposition 65

HazReg Data: International Inventories

Material name: EZ Grout Hardener 9/9

5278 Version #: 05 Revision date: 03-22-2023 Issue date: 04-12-2019