### SAFETY DATA SHEET



### 1. Identification

**Product identifier** SP2XXX Series Part B Coating and Lining (All Colors)

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

8:00 a.m. to 5:00 p.m.

hours

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 1 Sensitization, respiratory Category 1 Sensitization, skin Category 1 Reproductive toxicity (fertility, the unborn Category 2

child)

Specific target organ toxicity, single exposure Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated

Category 1

exposure

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word

**Hazard statement** Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or

breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause respiratory irritation. May cause damage

to organs through prolonged or repeated exposure.

Material name: SP2XXX Series Part B Coating and Lining (All Colors) 4850 Version #: 08 Revision date: 12-22-2017 Issue date: 08-29-2016 **Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection. Avoid breathing dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear respiratory protection. Contaminated work clothing must not be allowed out of the

workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Use only outdoors

or in a well-ventilated area.

**Response** IF ON SKIN: Wash with plenty of soap and water. Specific treatment see Section 4 of this SDS. If

skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention.

**Storage** Store locked up. Store in a well-ventilated place. Keep container tightly closed.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
BENZYL ALCOHOL		100-51-6	0 - 40
[3-(aminoethyl)phenyl]methanamin e		1477-55-0	5 - < 10
PHENOL, 4-NONYL-, BRANCHED		84852-15-3	5 - < 10
3-AMINOPROPYLTRIETHOXYSILANE		919-30-2	1-10
ETHYLENEDIAMINE		107-15-3	0.27
Other components below reportable	levels		59.84

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

**Eye contact**Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

**Ingestion** Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

During fire, gases hazardous to health may be formed.

the chemical

Material name: SP2XXX Series Part B Coating and Lining (All Colors)
4850 Version #: 08 Revision date: 12-22-2017 Issue date: 08-29-2016

and precautions for

**Special protective equipment** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

firefighters Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods** 

Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

115	OSHA Table	7-1   imit	s for Air C	nntaminants	: (29 CFR	1910.1000)

Components	Туре	Value			
ETHYLENEDIAMINE (CAS 107-15-3)	PEL	25 mg/m3			
•		10 ppm			
<b>US. ACGIH Threshold Limit Value</b>	es				
Components	Туре	Value			
[3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3			
ETHYLENEDIAMINE (CAS 107-15-3)	TWA	10 ppm			
US. NIOSH: Pocket Guide to Che	US. NIOSH: Pocket Guide to Chemical Hazards				
Components	Туре	Value			
[3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3			
ETHYLENEDIAMINE (CAS 107-15-3)	TWA	25 mg/m3			
		10 ppm			
<b>US. AIHA Workplace Environmen</b>	ntal Exposure Level (WEEL)	Guides			
Components	Туре	Value			
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m3			
		10 ppm			

**Biological limit values** No biological exposure limits noted for the ingredient(s).

#### **Exposure guidelines**

US - California OELs: Skin designation

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

**US - Tennesse OELs: Skin designation** 

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. ETHYLENEDIAMINE (CAS 107-15-3) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation** 

[3-(aminoethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

**Appropriate engineering** 

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded. controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

aloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** Always observe good personal hygiene measures, such as washing after handling the material and considerations

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

## 9. Physical and chemical properties

**Appearance** Liquid. **Physical state** Liquid. **Form** Liquid.

Color Golden to Light Amber Odor Ammoniacal. Amine-like.

**Odor threshold** Not available. Alkaline

Melting point/freezing point 4.64 °F (-15.2 °C) estimated Initial boiling point and 212 °F (100 °C) estimated

boiling range

Flash point > 199.4 °F (> 93.0 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower 3 % estimated

(%)

Flammability limit -

10 % estimated

upper (%)

**Explosive limit - lower** 

Not available.

(%)

**Explosive limit - upper** 

Not available.

(%)

Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

**Partial** Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

**Auto-ignition temperature** 

ure 644 °F (340 °C) estimated

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 8.31 lb/gal estimated

Specific gravity 1

## 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

### 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** May be harmful if swallowed and enters airways. May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

**Skin contact** Irritating to skin.

**Eye contact** Causes serious eye damage.

**Ingestion** May be harmful if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity** 

Components Species		Test Results	
BENZYL ALCOHOL (CAS 10	00-51-6)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	2000 mg/kg	
Oral			
LD50	Rat	1230 - 3100 mg/kg	

ETHYLENEDIAMINE (CAS 107-15-3)

<u>Acute</u> Dermal

LD50 Rabbit 730 mg/kg

Oral

LD50 Rat 500 mg/kg

Skin corrosion/irritationCauses skin irritation.Serious eye damage/eyeCauses serious eye damage.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled **Skin sensitization** Causes skin irritation. May cause allergic skin disorders in sensitive individuals.

SDS US

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product

contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the

normal routes of exposure are unavailable.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity

Skin Lungs. Nasal mucous membranes. Eyes.

- single exposure

Specific target organ toxicity

Skin. Respiratory system.

- repeated exposure

**Aspiration hazard** Not available.

# 12. Ecological information

**Ecotoxicity**The product contains a substance which is toxic to aquatic organisms.

Product		Species	Test Results
SP2XXX Series Part B	Coating and Lining	(All Colors)	
Aquatic			
Crustacea	EC50	Daphnia	0.5477 mg/l, 48 hours estimated
Fish	LC50	Fish	1.7856 mg/l, 96 hours estimated
Components		Species	Test Results
BENZYL ALCOHOL (CA	AS 100-51-6)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours
ETHYLENEDIAMINE (	CAS 107-15-3)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	98.6 - 131.6 mg/l, 96 hours
PHENOL, 4-NONYL-, E	BRANCHED (CAS 84	852-15-3)	
Aquatic			
Crustacea	EC50	Clam (Mulinia lateralis)	0.0379 mg/l, 48 hours
Fish	LC50	Winter flounder (Pleuronectes	0.017 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

Partition coefficient n-octanol / water (log Kow)

BENZYL ALCOHOL 1.1

ETHYLENEDIAMINE -2.04, at pH 13

**Mobility in soil** No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

americanus)

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

### 15. Regulatory information

**US federal regulations** All

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**TSCA Chemical Action Plans, Chemicals of Concern** 

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)

Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ETHYLENEDIAMINE (CAS 107-15-3)

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Listed.

ETHYLENEDIAMINE (CAS 107-15-3) 5000 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

(pounds) (pounds) quantity, lowe	ne CAS number Reportable Threshold Threshold Threshold quantity planning planning planning (pounds) quantity, lower quantity, u	
----------------------------------	---	--

ETHYLENEDIAMINE 107-15-3 5000 10000

**SARA 311/312** No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

ETHYLENEDIAMINE (CAS 107-15-3)

Safe Drinking Water Act Not regulated.

(SDWA)

#### **US state regulations**

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ETHYLENEDIAMINE (CAS 107-15-3)

Material name: SP2XXX Series Part B Coating and Lining (All Colors)

SDS US

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

## 16. Other information, including date of preparation or last revision

 Issue date
 08-29-2016

 Revision date
 12-22-2017

Version # 08

NFPA ratings Health: 4

Flammability: 0 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety

Material name: SP2XXX Series Part B Coating and Lining (All Colors)
4850 Version #: 08 Revision date: 12-22-2017 Issue date: 08-29-2016

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).