SAFETY DATA SHEET



1. Identification

Product identifier	PENNTROWEL™ LF FILLER - SILICA		
Other means of identification	None.		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Suppl	ier/Distributor information		
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.		
Address	2829 Lakeland Drive		
	Jackson, MS 39232		
	USA		
After hours telephone number	1-800-222-7122		
Normal work hours telephone number	1-877-982-7667		
Website	www.ergonarmor.com		
E-mail	sds@ergon.com		
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887		
Information on operation hours	8:00 a.m. to 5:00 p.m.		

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	30 - < 40
CARBON BLACK		1333-86-4	< 1
TITANIUM DIOXIDE		13463-67-7	< 1

4. First-aid measures

Inhalation

Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. If breathing is difficult, give oxygen. Get medical attention.

Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. Get medical attention.
Ingestion	Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Keep victim warm. Keep victim under observation. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Not applicable, non-combustible.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire fighting equipment/instructions	In the event of fire, cool tanks with water spray.
Specific methods	Cool containers exposed to flames with water until well after the fire is out.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up.
Methods and materials for containment and cleaning up	Sweep up or vacuum up spillage and collect in suitable container for disposal.
Environmental precautions	Not available.

7. Handling and storage

Precautions for safe handling	Do not breathe dust. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation.
Conditions for safe storage,	Keep container tightly closed. Keep out of reach of children. Store in a cool, dry place. Use care in
including any	handling/storage.
incompatibilities	

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for A Components	ir Contaminants (29 CFR 1910.1000) Type	Value	Form
CARBON BLACK (CAS 1333-86-4)	PEL	3.5 mg/m3	
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 191	LO.1000)		
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.

Components	Туре	Value	Form
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide			_
Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	0.1 mg/m3	
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
ological limit values	No biological exposure limits noted	for the ingredient(s).	
posure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica sho be monitored and controlled.		espirable crystalline silica shou
propriate engineering ntrols	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.		
-	s, such as personal protective eq	-	
Eye/face protection	Goggles/face shield are recommend	ed.	
Skin protection			
Hand protection	Wear protective gloves.		
Other	Wear appropriate clothing to prever or more of this chemical.	nt any possibility of skin contact v	with solutions containing 10%
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Not available.		
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Physical and chemical	properties		
pearance			
Physical state	Liquid.		
Form	Not available.		
Color	Gray to Black.		
or	Odorless.		
or threshold	Not available.		
	Not available.		
lting point/freezing point	Not available.		
tial boiling point and iling range	Not available.		
	450 °F (232.2222 °C) estimated		
sh point	HOU F (ZOZIZZZ C) ESUIIIaleu		

Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
	_

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	None under normal conditions.
Incompatible materials	Strong oxidizing agents. Strong bases.
Hazardous decomposition products	Oxides of silicon.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Not classified.
Skin contact	Dust may cause mechanical irritation.
Eye contact	Dust in the eyes will cause irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
CARBON BLACK (CAS 1333-86-4	4)		
<u>Acute</u>			
Oral			
LD50	Rat	> 8000 mg/kg	
* Estimates for product ma	y be based on additional component data not shown		
Skin corrosion/irritation	Not available.		
Serious eye damage/eye irritation	Harmful in contact with eyes. None known.		
Respiratory or skin sensitiza	ation		
Respiratory sensitization	n Not available.		
Material name: PENNTROWEL™ LF	FILLER - SILICA		SDS US

Skin sensitization	None known.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulatec form the normal routes of exposure are unavailable.	
IARC Monographs. Overall	Evaluation of Carcinogenici	ty
CARBON BLACK (CAS 133	3-86-4)	2B Possibly carcinogenic to humans.
QUARTZ (CAS 14808-60-7	7)	1 Carcinogenic to humans.
TITANIUM DIOXIDE (CAS	TITANIUM DIOXIDE (CAS 13463-67-7) 2B Possibly carcinogenic to humans.	
OSHA Specifically Regulate	ed Substances (29 CFR 1910	.1001-1052)
QUARTZ (CAS 14808-60-7	7)	Cancer
US. National Toxicology Pr	ogram (NTP) Report on Card	cinogens
QUARTZ (CAS 14808-60-7	7)	Known To Be Human Carcinogen.
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	Not available.	
Specific target organ toxicity - repeated exposure	Not available.	
Aspiration hazard	Not available.	
Further information	This product has no known ad	verse effect on human health.

12. Ecological information

Ecotoxicity	Not expected to be harmful to aquatic organisms.
Persistence and degradability	Not available.
Bioaccumulative potential	Not available.
Mobility in soil	Not available.
Other adverse effects	Not available.

13. Disposal considerations

Disposal instructions	Dispose in accordance with all applicable regulations. No components are identified as hazardous wastes.
Waste from residues / unused products	Not available.
Contaminated packaging	Offer rinsed packaging material to local recycling facilities.

Cancer

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

QUARTZ (CAS 14808-60-7)

lung effects immune system effects kidney effects

		kidney effects	
Superfund Amendments and R	eauthorization Act of 19	86 (SARA)	
SARA 302 Extremely hazar	rdous substance		
Not listed.			
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	n 112 Hazardous Air Poll	utants (HAPs) List	
Not regulated.			
• •	n 112(r) Accidental Relea	ase Prevention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations	WARNING: This product of	ontains a chemical known to the State of C	California to cause cancer.
California Proposition 65			
California Proposition	65 - CRT: Listed date/Ca	rcinogenic substance	
CARBON BLACK (CAS		Listed: February 21, 2003	
QUARTZ (CAS 14808		Listed: October 1, 1988	
TITANIUM DIOXIDE (Listed: September 2, 2011 Consumer Products Regulations (Cal.	Codo Pogo tit 22
69502.3, subd. (a))	ite chemicais List. Salei	Consumer Products Regulations (Cal.	Coue Reys, III. 22,
CARBON BLACK (CAS	5 1333-86-4)		
QUARTZ (CAS 14808			
TITANIUM DIOXIDE ((CAS 13463-67-7)		
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Ch	emical Substances (AICS)	Yes
Canada	Domestic Substances List	(DSL)	Yes
Canada	Non-Domestic Substances	List (NDSL)	No
China	Inventory of Existing Chen	nical Substances in China (IECSC)	Yes
Europe	European Inventory of Exi (EINECS)	sting Commercial Chemical Substances	Yes
Europe	European List of Notified C	Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and I	New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (EC	CL)	Yes
New Zealand	New Zealand Inventory		Yes

New ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYesTaiwanTaiwan Chemical Substance Inventory (TCSI)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-22-2021
Revision date	02-15-2022
Version #	02
Further information	$HMIS\ensuremath{\mathbb{R}}$ is a registered trade and service mark of the NPCA.

References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Stability and reactivity: Reactivity GHS: Classification