## SAFETY DATA SHEET



## 1. Identification

**Product identifier FLEXJOINT™ HARDENER** 

Other means of identification None

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

8:00 a.m. to 5:00 p.m.

hours

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Acute toxicity, dermal Category 4

> Acute toxicity, inhalation Category 4 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Category 3

**Environmental hazards** Hazardous to the aquatic environment,

long-term hazard

**OSHA** defined hazards Not classified.

**Label elements** 



Signal word

**Hazard statement** May cause respiratory irritation. Causes severe skin burns and eye damage. May cause an allergic

skin reaction. Harmful if inhaled. Harmful to aquatic life with long lasting effects. Harmful in

contact with skin.

**Precautionary statement** 

**Prevention** Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Use only

outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Material name: FLEXJOINT™ HARDENER SDS US

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Collect spillage. Hazardous to the aquatic Response

environment. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Specific treatment see Section 4 of this SDS. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
2-AMINOETHANOL		141-43-5	65 - 90
TRIETHYLENETETRAMINE		112-24-3	15 - 30

#### 4. First-aid measures

Inhalation Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.

Get medical attention immediately.

Skin contact Immediately flush with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Get medical attention immediately. Wash clothing separately before reuse. Destroy contaminated clothing and shoes. If skin irritation or an allergic skin reaction develops, get

medical attention.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Do not rub eyes. Get medical attention immediately.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If swallowed, do NOT **Ingestion** 

induce vomiting. Give a glass of water. Never give anything by mouth to a victim who is

unconscious or is having convulsions.

Most important

symptoms/effects, acute and

delaved

**Indication of immediate** medical attention and special treatment needed

**General information** 

Treat symptomatically.

Not available.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Get medical attention if symptoms occur.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical, CO2, or water spray. Foam. Water spray should be used to cool containers.

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

Container may explode in heat of fire. Fire may produce irritating, corrosive and/or toxic gases.

**Special protective equipment** and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear full protective clothing including self contained breathing apparatus. Structural firefighters protective

clothing will only provide limited protection.

Fire fighting equipment/instructions Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid breathing fire vapors.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Ventilate closed spaces before entering

Methods and materials for containment and cleaning up

Wear appropriate protective equipment and clothing during clean-up. Do not allow the spilled product to enter public drainage system or open water courses. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean surface thoroughly to remove residual

contamination.

**Environmental precautions** 

Avoid release to the environment.

7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, on clothing. Do not breathe gas/fumes/vapor/spray. Do not reuse the

empty container.

Conditions for safe storage, including any incompatibilities

Avoid excessive heat. Keep container tightly closed in a cool, well-ventilated place. Do not store in

3 nnm

direct sunlight.

## 8. Exposure controls/personal protection

**US. ACGIH Threshold Limit Values** 

#### Occupational exposure limits

Components	Type	Value	
2-AMINOETHANOL (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	

Components	Туре	Value
2-AMINOETHANOL (CAS 141-43-5)	STEL	6 ppm

Τ\Λ/Δ

	IVVA	э ррш	
US. NIOSH: Pocket Guide to Cl Components	nemical Hazards Type	Value	
2-AMINOETHANOL (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
UC Washington Fasting and and a	Francisco I arral (MEEL) Crists		

US. Workplace Environmental Exposure Level (WEEL) Guides			
Components	Туре	Value	
TRIETHYLENETETRAMINE (CAS 112-24-3)	TWA	6 mg/m3	
		1 ppm	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

**US WEEL Guides: Skin designation** 

TRIETHYLENETETRAMINE (CAS 112-24-3)

Can be absorbed through the skin.

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical goggles and face shield are recommended.

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

**Other** Wear appropriate clothing to prevent any possibility of skin contact with solutions containing 10%

or more of this chemical.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

Material name: FLEXJOINT™ HARDENER 5423 Version #: 02 Revision date: 12-16-2021 Issue date: 11-03-2021 **General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Amber Liquid **Appearance** 

**Physical state** Liquid. **Form** Liquid.

Color light yellow to amber

Odor Amine-like. **Odor threshold** Not available. Not available.

Melting point/freezing point 53.6 °F (12 °C) estimated

-38.2 °F (-39 °C)

Initial boiling point and

boiling range

> 400 °F (> 204.44 °C)

Flash point 253.0 °F (122.8 °C) **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

(%)

Flammability limit - lower Not available.

Flammability limit upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure < 2.00 mm Hg @ 20 deg C

3.5 Vapor density

Relative density Not available.

Solubility(ies)

Partial Soluble Solubility (water) **Partition coefficient** Not available. (n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity Not available.

Other information

Conditions to avoid

Specific gravity 0.97 @ 25 deg C

### 10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials. Strong acids, alkalies and oxidizing agents. Copper and copper alloys. Chlorinated compounds.

Expoxy resins.

**Hazardous decomposition** 

**Incompatible materials** 

products

Irritating and/or toxic fumes and gases may be emitted upon the products decomposition. Carbon

oxides. Nitrogen oxides (NOx).

## 11. Toxicological information

Material name: FLEXJOINT™ HARDENER

# Information on likely routes of exposure

Inhalation May be harmful if inhaled.

5423 Version #: 02 Revision date: 12-16-2021 Issue date: 11-03-2021

**Skin contact** Causes skin burns.

**Eye contact** Causes serious eye damage. **Ingestion** May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

## Information on toxicological effects

**Acute toxicity** Harmful if inhaled.

Product	Species	Test Results	
FLEXJOINT™ HARDENER			
<u>Acute</u>			
Dermal			
LD50	Rabbit	1367 mg/kg	
Oral			
LD50	Rat	13.6 g/kg	
Components	Species	Test Results	

2-AMINOETHANOL (CAS 141-43-5)

Acute Oral

LD50 Rat 10.2 g/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

Serious eye damage irritation

Corrosive. Prolonged contact causes serious eye and tissue damage.

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** Causes skin burns. May be harmful if absorbed through skin.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity

- single exposure

May cause irritation to the respiratory system.

Specific target organ toxicity

- repeated exposure

Not available.

**Aspiration hazard** Not available.

**Chronic effects** May cause allergic skin disorders in sensitive individuals

12. Ecological information

**Ecotoxicity**Contains a substance which causes risk of hazardous effects to the environment. Not expected to

be harmful to aquatic organisms.

Material name: FLEXJOINT™ HARDENER

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Test Results** Components **Species** 

2-AMINOETHANOL (CAS 141-43-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability Not available. **Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

2-AMINOETHANOL -1.31

Mobility in soil Not available. Other adverse effects Not available.

## 13. Disposal considerations

**Disposal instructions** Do not allow this material to drain into sewers/water supplies. Dispose of waste and residues in

accordance with local authority requirements.

Waste from residues / unused products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or

onto the ground.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

## 14. Transport information

DOT

**UN number** UN2735

UN proper shipping name Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s.

Transport hazard class(es)

Class 8 **Subsidiary risk** 8 Label(s) Packing group III

Special precautions for Not available.

user

Special provisions A3, A6, B10, N34, T14, TP2, TP27

Packaging exceptions None Packaging non bulk 201 Packaging bulk 243

**IATA** 

**UN number** UN2735

**UN proper shipping name** Amines, liquid, corrosive, n.o.s.

Transport hazard class(es)

Class 8 **Subsidiary risk Packing group** TTT **Environmental hazards** No. **ERG Code** 8L

Special precautions for

user

Not available.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft Cargo aircraft only

Allowed with restrictions.

**IMDG** 

**UN number** UN2735

UN proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

Transport hazard class(es)

Class 8 **Subsidiary risk Packing group** III **Environmental hazards** 

Marine pollutant No.

EmS F-A, S-B

Special precautions for Not available.

user

Transport in bulk according to Not available. Annex II of MARPOL 73/78

and the IBC Code

and the IBC Cod

DOT



### IATA; IMDG



## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

**Classified hazard** Acute toxicity (any route of exposure)

**categories** Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Material name: FLEXJOINT™ HARDENER 5423 Version #: 02 Revision date: 12-16-2021 Issue date: 11-03-2021

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

**US state regulations**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is

not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

 Issue date
 11-03-2021

 Revision date
 12-16-2021

Version # 02

**Further information** HMIS® is a registered trade and service mark of the NPCA.

**References** ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Physical & Chemical Properties: Multiple Properties

Toxicological Information: Toxicological Data

Ecological Information: Ecotoxicity HazReq Data: North America

GHS: Classification

Material name: FLEXJOINT™ HARDENER SDS US