## SAFETY DATA SHEET



### 1. Identification

**Product identifier** NOVOCOAT™ SP2900 PASTE PART A, NOVOCOAT™ SP2000W LINING PART A (ALL

COLORS), NOVOCOAT™ SP2000WHB PART A (ALL COLORS), NOVOTOWER SP2000R SELF-LEVELING EPOXY PART A (ALL COLORS), NOVOTOWER SP2000R-HB PART A (ALL

COLORS)

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

1-800-222-7122

number

**Normal work hours** 

1-877-982-7667

telephone number

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2 Sensitization, skin Category 1 Carcinogenicity Category 1

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** May cause cancer. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye

irritation.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection. Wash thoroughly after handling.

Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and water. IF Response

IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Material name: NOVOCOAT™ SP2900 PASTE PART A, NOVOCOAT™ SP2000W LINING PART A (ALL COLORS), NOVOCOAT™ S 4874 Version #: 02 Revision date: 10-26-2021 Issue date: 06-16-2020

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN		25068-38-6	40 - 50
QUARTZ		14808-60-7	5 - 15
CASHEW, NUTSHELL LIQ., GLYCIDYL ETHERS		171263-25-5	1 - 10
PHENOL-FORMALDEHYDE POLYME GLYCIDYL ETHER	R	28064-14-4	1 - 10
PROPRIETARY INGREDIENTS		N/A	< 2
Other components below reportable	e levels		50.51

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

**Eye contact** Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

**Ingestion** Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

Direct contact with eyes may cause temporary irritation.

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media

**Unsuitable extinguishing** 

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting** Move containers from fire area if you can do so without risk.

equipment/instructions

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage,

Store in original tightly closed container.

including any incompatibilities

## 8. Exposure controls/personal protection

## Occupational exposure limits

US. OSHA Table Z-1 Limits for A Components	ir Contaminants (29 CFR 1910.1000) Type	Value	Form
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 193 Components	10.1000) Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Valu Components	es Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Che Components	emical Hazards Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** 

Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

## 9. Physical and chemical properties

## **Appearance**

**Physical state** Liquid. **Form** Liquid. Color Not available. Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and

boiling range

212 °F (100 °C) estimated

Flash point > 250.0 °F (> 121.1 °C) estimated

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

Explosive limit - upper

(%)

Not available.

**Vapor pressure** 233.96 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 11.25 - 12.85 lb/gal estimated

**Specific gravity** 1.35 - 1.54 estimated

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability**Material is stable under normal conditions. **Possibility of hazardous**Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May be harmful if inhaled.

**Skin contact** May cause an allergic skin reaction. Causes skin irritation.

**Eye contact**Causes serious eye irritation. **Ingestion**May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

**Acute toxicity** Not available.

Skin corrosion/irritation

Serious eye damage/eye

Causes serious eye irritation.

Causes skin irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** May cause allergic skin disorders in sensitive individuals.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

QUARTZ (CAS 14808-60-7) Canc

**US. National Toxicology Program (NTP) Report on Carcinogens** 

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not available.

12. Ecological information

**Ecotoxicity**The product contains a substance which is toxic to aquatic organisms.

Product Species Test Results

NOVOCOAT™ SP2900 PASTE PART A, NOVOCOAT™ SP2000W LINING PART A (ALL COLORS), NOVOCOAT™ SP2000WHB PART A (ALL COLORS), NOVOTOWER SP2000R SELF-LEVELING EPOXY PART A (ALL COLORS), NOVOTOWER SP2000R-HB PART A (ALL COLORS)

**Aquatic** 

Crustacea EC50 Daphnia 6.4987 mg/l, 48 hours estimated Fish LC50 Fish 3.6107 mg/l, 96 hours estimated

Components Species Test Results

PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER (CAS 28064-14-4)

**Aquatic** 

Acute

Fish LC50 Fish 1 - 10 mg/l

**Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Other adverse effectsNot known.

13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL

A-(EPICHLOROHYDRIN) EPOXY RESIN, PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER),

MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards


Marine pollutantYesEmSF-A, S-FSpecial precautions forNot available.

user

**Transport in bulk according to** Not available.

Annex II of MARPOL 73/78 and the IBC Code

### **IMDG**



## Marine pollutant



## 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

QUARTZ (CAS 14808-60-7)

Cancer

lung effects

immune system effects

kidney effects

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

### **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

Classified hazard Skin corrosion or irritation

**categories** Serious eye damage or eye irritation

Respiratory or skin sensitization

Carcinogenicity

## SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

#### **California Proposition 65**



**WARNING:** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## California Proposition 65 - CRT: Listed date/Carcinogenic substance

OUARTZ (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

QUARTZ (CAS 14808-60-7)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

 Issue date
 06-16-2020

 Revision date
 10-26-2021

Version # 02

**NFPA ratings** Health: 2

Flammability: 1 Instability: 0

Material name: NOVOCOAT™ SP2900 PASTE PART A, NOVOCOAT™ SP2000W LINING PART A (ALL COLORS), NOVOCOAT™ S

SDS US

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision information** 

Product and Company Identification: Product and Company Identification

Hazard(s) identification: Supplemental information

Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

Transport Information: Material Transportation Information

GHS: Classification