SAFETY DATA SHEET



1. Identification

Product identifier NOVOCOAT™ SP2900 PASTE PART B, NOVOCOAT™ SP2000AR CERAMIC COATING PART

B, NOVOCOAT™ SP2000W LINING PART B, NOVOCOAT™ SP2000WHB PART B (ALL COLORS), NOVOTOWER SP2000R SELF-LEVELING EPOXY PART B, NOVOTOWER

SP2000R-HB PART B

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

USA

After hours telephone

number

1-800-222-7122

Normal work hours

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1 Sensitization, respiratory Category 1 Sensitization, skin Category 1 Reproductive toxicity Category 2

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. Causes serious eye damage. May cause allergy or

asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace. Avoid breathing dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear

respiratory protection.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical assistance if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Polyamido Amine		68605-86-7	15 - 30
BENZYL ALCOHOL		100-51-6	0 - 40
[3-(Aminomethyl)phenyl]methanami ne		1477-55-0	5 - 15
3-AMINOPROPYLTRIETHOXYSILANE		919-30-2	1 - 10
PHENOL, 4-NONYL-, BRANCHED		84852-15-3	1 - 10
ETHYLENEDIAMINE		107-15-3	< 1
Other components below reportable	levels		59.84

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

center or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema

or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Continue to rinse for at least

15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention immediately.

Ingestion Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do not induce

 $vomiting. \ If \ vomiting \ occurs, \ the \ head \ should \ be \ kept \ low \ so \ that \ stomach \ vomit \ doesn't \ enter \ the$

lungs.

4850 Version #: 05 Revision date: 11-08-2021 Issue date: 06-15-2020

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

General information

Treat symptomatically.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Material name: NOVOCOAT™ SP2900 PASTE PART B, NOVOCOAT™ SP2000AR CERAMIC COATING PART B, NOVOCOAT™ SP2

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch or walk through spilled material. For personal protection, see section 8 of the SDS.

This product is miscible in water. This material is classified as a water pollutant under the Clear Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use personal protective equipment as required. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Value

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Type

Components	туре	value	
ETHYLENEDIAMINE (CAS 107-15-3)	PEL	25 mg/m3	
		10 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	
[3-(Aminomethyl)phenyl]me thanamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
ETHYLENEDIAMINE (CAS 107-15-3)	TWA	10 ppm	
US. NIOSH: Pocket Guide to Chemical Hazards			
Components	Туре	Value	
[3-(Aminomethyl)phenyl]me thanamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
ETHYLENEDIAMINE (CAS 107-15-3)	TWA	25 mg/m3	
		10 ppm	

US. Workplace Environmental Exposure Level (WEEL) Guides Components **Type**

BENZYL ALCOHOL (CAS **TWA** 44.2 mg/m3

100-51-6)

10 ppm

Value

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

[3-(Aminomethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

[3-(Aminomethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

[3-(Aminomethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin. ETHYLENEDIAMINE (CAS 107-15-3) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

[3-(Aminomethyl)phenyl]methanamine (CAS 1477-55-0) Can be absorbed through the skin.

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Chemical resistant gloves are recommended. If contact

with forearms is likely wear gauntlet style gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing

should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance Liquid. Physical state Liquid. **Form** Liquid.

Color Golden to Light Amber Odor Ammoniacal. Amine-like.

Odor threshold Not available. Alkaline

Melting point/freezing point Initial boiling point and

4.64 °F (-15.2 °C) estimated 212 °F (100 °C) estimated

boiling range

Flash point > 199.4 °F (> 93.0 °C) estimated

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower 3 % estimated

(%)

Flammability limit -

10 % estimated

upper (%)

Explosive limit - lower Not available.

(%)

Explosive limit - upper

(%)

Not available.

Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

Partial Solubility (water)

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 644 °F (340 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Density 8.14 lb/gal estimated Specific gravity 0.98 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Alkaline metals.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled Skin contact Causes severe skin burns and eye damage. May cause an allergic skin reaction

Eve contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

C-- - -! - -

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash

T--- D----

Information on toxicological effects

Acute toxicity Campananta

Components	Species	lest Results	
BENZYL ALCOHOL (CAS 100-5	1-6)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	2000 mg/kg	
Inhalation			
LC50	Rat	1000 mg/l, 8 Hours	

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin sensitization May cause allergic skin disorders in sensitive individuals. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity

Not available.

- single exposure

Specific target organ toxicity

May cause damage to organs through prolonged or repeated exposure.

- repeated exposure

Not an aspiration hazard.

Aspiration hazard Chronic effects

May cause damage to organs through prolonged or repeated exposure. This material has been reported to be a respiratory sensitizer which can cause asthmatic symptoms in sensitive

individuals.

12. Ecological information

Ecotoxicity The product contains a substance which is toxic to aquatic organisms.

Product Test Results Species NOVOCOAT™ SP2900 PASTE PART B. NOVOCOAT™ SP2000AR CERAMIC COATING PART B. NOVOCOAT™ SP2000W LINING PART B, NOVOCOAT™ SP2000WHB PART B (ALL COLORS), NOVOTOWER SP2000R SELF-LEVELING EPOXY PART B, NOVOTOWER

Aquatic

SP2000R-HB PART B

EC50 Crustacea Daphnia 2.414 mg/l, 48 hours estimated Fish LC50 Fish 7.8418 mg/l, 96 hours estimated

Test Results Components **Species**

BENZYL ALCOHOL (CAS 100-51-6)

Aquatic

Bluegill (Lepomis macrochirus) 10 mg/l, 96 hours Fish LC50

ETHYLENEDIAMINE (CAS 107-15-3)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 98.6 - 131.6 mg/l, 96 hours

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)

Aquatic

Crustacea EC50 Clam (Mulinia lateralis) 0.0379 mg/l, 48 hours Fish LC50 Winter flounder (Pleuronectes 0.017 mg/l, 96 hours

americanus)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

BENZYL ALCOHOL 1.1 **ETHYLENEDIAMINE** -2.04PHENOL, 4-NONYL-, BRANCHED 5.71

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

^{*} Estimates for product may be based on additional component data not shown.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations. When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) 1.0 % One-Time Export Notification only.

TSCA Chemical Action Plans, Chemicals of Concern

PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

CERCLA Hazardous Substance List (40 CFR 302.4)

ETHYLENEDIAMINE (CAS 107-15-3) Listed.

SARA 304 Emergency release notification

ETHYLENEDIAMINE (CAS 107-15-3) 5000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)

ETHYLENEDIAMINE 107-15-3 5000 10000

SARA 311/312 Yes

Hazardous chemical

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

Respiratory or skin sensitization

Reproductive toxicity

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
PHENOL, 4-NONYL-, BRANCHED	84852-15-3	1 - 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

ETHYLENEDIAMINE (CAS 107-15-3)

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

California Proposition 65



WARNING: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ETHYLENEDIAMINE (CAS 107-15-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 06-15-2020 11-08-2021 **Revision date**

Version # 05

NFPA ratings Health: 2

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Hazard(s) identification: Response **Revision information**

Hazard(s) identification: Storage

Hazard(s) identification: Hazard statement

Composition / Information on Ingredients: Disclosure Overrides

Toxicological information: Reproductivity Toxicological information: Skin contact

GHS: Classification