## SAFETY DATA SHEET



## 1. Identification

**Product identifier** NOVOCOAT™ ER2000 ELASTOMERIC LIQUID PART B

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1 Sensitization, respiratory Category 1 Sensitization, skin Category 1 Reproductive toxicity Category 2 Specific target organ toxicity, single exposure Category 1 Specific target organ toxicity, repeated Category 1

exposure

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word

**Hazard statement** Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye

damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of damaging fertility or the unborn child. Causes damage to organs. Causes damage to organs

through prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection. In case of inadequate ventilation wear respiratory protection.

Material name: NOVOCOAT™ ER2000 ELASTOMERIC LIQUID PART B 4943 Version #: 02 Revision date: 10-25-2021 Issue date: 06-15-2020 **Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Specific treatment see Section 4 of this SDS. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** Not

Not applicable.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
2,4,6-TRIS(DIMETHYLAMINOMETH YL)PHENOL		90-72-2	30 - 50
4-METHYL-2-PENTANONE		108-10-1	30 - 50
3-AMINOPROPYLTRIETHOXYSILANI	<b>=</b>	919-30-2	< 1
Other components below reportable	e levels		19.89409

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

**Eye contact** Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

**Ingestion** Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

Direct contact with eyes may cause temporary irritation.

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

**Most important** 

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

#### 5. Fire-fighting measures

Suitable extinguishing media

uia

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

Unsuitable extinguishing

the chemical

firefighters

media

During fire, gases hazardous to health may be formed.

**Special protective equipment** 

and precautions for

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any

Store in original tightly closed container.

including any incompatibilities

## 8. Exposure controls/personal protection

## **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Components Type		0.1000) Value	Value	
4-METHYL-2-PENTANONE (CAS 108-10-1)	PEL	410 mg/m3		
		100 ppm		
<b>US. ACGIH Threshold Limit Valu</b>	ies			
Components	Туре	Value		
4-METHYL-2-PENTANONE (CAS 108-10-1)	STEL	75 ppm		
	TWA	20 ppm		
US. NIOSH: Pocket Guide to Ch	emical Hazards			
Components	Туре	Value		
4-METHYL-2-PENTANONE (CAS 108-10-1)	STEL	300 mg/m3		
		75 ppm		
	TWA	205 mg/m3		
		50 ppm		

#### **Biological limit values**

Components	Value	Determinant	Specimen	Sampling Time
-METHYL-2-PENTANONE CAS 108-10-1)	1 mg/l	Methyl isobutyl ketone	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

Appropriate	eng	ineeri	ing
controls			

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

**Other** Wear suitable protective clothing.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Material name: NOVOCOAT™ ER2000 ELASTOMERIC LIQUID PART B

SDS US

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. Liquid. **Form** Not available. Color Odor Not available. **Odor threshold** Not available. Not available. рH

-119.2 °F (-84 °C) estimated Melting point/freezing point Initial boiling point and

boiling range

241.7 °F (116.5 °C) estimated

Flash point > 212.0 °F (> 100.0 °C)

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit -12 % estimated

upper (%)

**Explosive limit - lower** 

(%)

**Explosive limit - upper** (%)

Not available.

Not available.

Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

840 °F (448.89 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Density** 8.10 lb/gal estimated Specific gravity 0.97 estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** No hazardous decomposition products are known.

products

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin contact Causes severe skin burns and eye damage.

**Eye contact** Causes serious eye damage. **Ingestion** May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

**Acute toxicity** 

Components Species Test Results

4-METHYL-2-PENTANONE (CAS 108-10-1)

Acute Dermal

LD50 Rabbit > 16000 mg/kg

Inhalation

LC50 Rat 8.2 mg/l, 4 Hours

Oral

LD50 Rat 2080 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

**Respiratory sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled

**Skin sensitization** May cause allergic skin disorders in sensitive individuals. This chemical may cause skin/eye irritation

and burns (corrosive).

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product

contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the

normal routes of exposure are unavailable.

IARC Monographs. Overall Evaluation of Carcinogenicity

4-METHYL-2-PENTANONE (CAS 108-10-1) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity

- single exposure

Causes damage to organs.

Specific target organ toxicity

- repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product contains a substance which is toxic to aquatic organisms

Product Species Test Results

NOVOCOAT™ ER2000 ELASTOMERIC LIQUID PART B

**Aquatic** 

Fish LC50 Fish 1266.2737 mg/l, 96 hours estimated

Material name: NOVOCOAT™ ER2000 ELASTOMERIC LIQUID PART B
4943 Version #: 02 Revision date: 10-25-2021 Issue date: 06-15-2020

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Species Test Results** Components

4-METHYL-2-PENTANONE (CAS 108-10-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 492 - 593 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

Partition coefficient n-octanol / water (log Kow)

4-METHYL-2-PENTANONE 1.31

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

## 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

4-METHYL-2-PENTANONE (CAS 108-10-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

**Hazardous chemical** 

Material name: NOVOCOAT™ ER2000 ELASTOMERIC LIQUID PART B

Classified hazard categories

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
4-METHYL-2-PENTANONE	108-10-1	30 - 50	

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

4-METHYL-2-PENTANONE (CAS 108-10-1)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

## Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

4-METHYL-2-PENTANONE (CAS 108-10-1) 6715

## Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

4-METHYL-2-PENTANONE (CAS 108-10-1) 35 %WV

**DEA Exempt Chemical Mixtures Code Number** 

4-METHYL-2-PENTANONE (CAS 108-10-1) 6715

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

4-METHYL-2-PENTANONE (CAS 108-10-1) Low priority

#### **US state regulations**

#### **California Proposition 65**



**WARNING:** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

4-METHYL-2-PENTANONE (CAS 108-10-1) Listed: November 4, 2011

## California Proposition 65 - CRT: Listed date/Developmental toxin

4-METHYL-2-PENTANONE (CAS 108-10-1) Listed: March 28, 2014

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

4-METHYL-2-PENTANONE (CAS 108-10-1)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

 Issue date
 06-15-2020

 Revision date
 10-25-2021

Version # 02

**NFPA ratings** Health: 3

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Product and Company Identification: Alternate Trade Names

Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

HazReg Data: North America

**GHS: Classification**