SAFETY DATA SHEET



1. Identification

Product identifier NOVOCOAT™ SC2200 RAPID SET PIPE COATING PART A

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc. **Company Name**

Address 2829 Lakeland Drive Jackson, MS 39232

After hours telephone 1-800-222-7122 number

Normal work hours telephone number

Website www.ergonarmor.com E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

1-877-982-7667

2. Hazard(s) identification

Not classified. **Physical hazards**

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2B Sensitization, skin Category 1 Carcinogenicity Category 2

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation. Suspected of

causing cancer.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective

gloves/protective clothing/eye protection/face protection.

Response IF ON SKIN: Gently wash with plenty of soap and water. Specific treatment see Section 4 of this

SDS. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|-------------------|---------|
| BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN | | 25068-38-6 | 20 - 30 |
| PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER | | 28064-14-4 | 5 - 20 |
| QUARTZ | | 14808-60-7 | 5 - 15 |
| SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM. | | 64742-95-6 | < 1 |
| Other components below reportable I | evels | | 38.2828 |

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special

treatment needed
General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Tiove containers from the area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|---|-----------------|-------------|----------------------|
| QUARTZ (CAS 14808-60-7) | PEL | 0.05 mg/m3 | Respirable dust. |
| US. OSHA Table Z-3 (29 CFR 191) Components | 0.1000) Type | Value | Form |
| QUARTZ (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable. |
| | | 2.4 mppcf | Respirable. |
| US. ACGIH Threshold Limit Value | S | | |
| Components | Туре | Value | Form |
| QUARTZ (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards Components Type

QUARTZ (CAS 14808-60-7) TWA 0.05 mg/m3 Respirable dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

Value

Form

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment

to remove contaminants.

9. Physical and chemical properties

Appearance Viscous liquid

Physical state Liquid.
Form Liquid.
Color Beige.

Odor Benign

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and

boiling range

302 °F (150 °C) estimated

Flash point > 500.0 °F (> 260.0 °C) Tag Closed Cup

Evaporation rate Not available. **Flammability (solid, gas)** Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature > 1112 °F (> 600 °C)

Viscosity Not available.

Other information

Density 14.12 lbs/gal estimated

Specific gravity 1.69 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May be harmful if inhaled.

Skin contact May cause an allergic skin reaction.

Eye contact Irritating to eyes.

Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Irritating to eyes.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization May irritate eyes and skin.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic. Suspected of causing genetic defects.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans. SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.

(CAS 64742-95-6)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7)

US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7)

Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product contains a substance which is toxic to aquatic organisms.

Product Test Results

NOVOCOAT™ SC2200 RAPID SET PIPE COATING PART A

Aquatic

EC50 12.3271, 48 hours Crustacea Daphnia Fish LC50 Fish 7.1406, 96 hours

Acute

Crustacea EC50 Daphnia 282.5273, 48 hours estimated Fish 22624.4336, 96 hours estimated LC50 Fish

Components **Species Test Results**

PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER (CAS 28064-14-4)

Aquatic

Acute

> 1 - < 10 mg/lFish LC50 Fish

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Not regulated as dangerous goods.

IATA

UN3082 **UN number**

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLOROHYDRIN) EPOXY

RESIN, PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER)

Material name: NOVOCOAT™ SC2200 RAPID SET PIPE COATING PART A 5872 Version #: 03 Revision date: 06-13-2023 Issue date: 06-15-2020

^{*} Estimates for product may be based on additional component data not shown.

Transport hazard class(es)

Class 9 **Subsidiary risk Packing group** III **Environmental hazards** Yes **ERG Code** 9L

Special precautions for

user

Not available.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL **UN proper shipping name**

A-(EPICHLOROHYDRIN) EPOXY RESIN, PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER),

MARINE POLLUTANT

Transport hazard class(es)


Class 9 **Subsidiary risk Packing group** III **Environmental hazards**

Marine pollutant Yes F-A, S-F **EmS Special precautions for** Not available.

Transport in bulk according to Not available. Annex II of MARPOL 73/78

and the IBC Code

IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7) Cancer

lung effects

immune system effects

kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard categories

Skin corrosion or irritation

Serious eye damage or eye irritation

Respiratory or skin sensitization

Carcinogenicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

QUARTZ (CAS 14808-60-7)

SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM. (CAS 64742-95-6)

California Proposition 65



WARNING: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

OUARTZ (CAS 14808-60-7) Listed: October 1, 1988

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* | | |
|--|--|------------------------|--|--|
| Australia | Australian Inventory of Industrial Chemicals (AICIS) | Yes | | |
| Canada | Domestic Substances List (DSL) | Yes | | |
| Canada | Non-Domestic Substances List (NDSL) | No | | |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes | | |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes | | |
| Europe | European List of Notified Chemical Substances (ELINCS) | No | | |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes | | |
| Korea | Existing Chemicals List (ECL) | Yes | | |
| New Zealand | New Zealand Inventory | Yes | | |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes | | |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes | | |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes | | |
| *A IIVaali indicates that all assessments of this word, at assessment, with the increase of a surject and a single control of the second of th | | | | |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

16. Other information, including date of preparation or last revision

06-15-2020 **Issue date Revision date** 06-13-2023

Version # 03

NFPA ratings Health: 3 Flammability: 0

Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer**

information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names

Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

GHS: Classification

Material name: NOVOCOAT™ SC2200 RAPID SET PIPE COATING PART A 5872 Version #: 03 Revision date: 06-13-2023 Issue date: 06-15-2020