SAFETY DATA SHEET



1. Identification

Product identifier NOVOCOAT™ SG2500 LINING PART A

Other means of identification None.

Recommended use Cementious coating

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive

Jackson, MS 39232

1-800-222-7122

1-877-982-7667

USA

After hours telephone

number

Normal work hours

telephone number

Website www.ergonarmor.com

E-mail sds@ergon.com

Emergency 24-hour telephone number

8:00 a.m. to 5:00 p.m.

Information on operation hours

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Category 2 Skin corrosion/irritation

> Category 2 Serious eye damage/eye irritation Sensitization, skin Category 1 Carcinogenicity Category 2

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Environmental hazards Not classified. OSHA defined hazards Not classified.

Label elements



Signal word Warning

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. **Hazard statement**

Suspected of causing cancer.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear

protective gloves/protective clothing/eye protection/face protection.

Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and Response

water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IF exposed or concerned: Get medical

advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store locked up.

Material name: NOVOCOAT™ SG2500 LINING PART A 5175 Version #: 04 Revision date: 12-13-2024 Issue date: 06-15-2020 **Disposal** Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

	Chemical name	Common name and synonyms	CAS number	%
_	PROPANE,2,2-BIS[P-(2,3-EPOXYPR OPOXY)PHENYL]-,POLYMERS		25085-99-8	45 - 55
	FORMALDEHYDE, OLIGOMERIC REACTION PRODUCTS WITH 1-CHLORO-2,3-EPOXYPROPANE AND PHENOL		9003-36-5	15 - 25
_	FATTY ACIDS, C18, UNSATD., DIMERS, REACTION PRODUCTS WITH N,N-DIMETHYL-1,3-PROPANEDIAM INE AND 1,3-PROPANEDIAMINE		162627-17-0	< 1
-	SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.		64742-95-6	< 1

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. Oxygen or artificial respiration if needed. Call a physician or poison control center

immediately.

Wash off immediately with soap and plenty of water. Remove contaminated clothing. Get Skin contact

medical attention if irritation develops and persists. Wash clothing separately before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if **Eye contact**

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists.

Ingestion Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having

> convulsions. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Call a physician or

poison control center immediately.

Most important symptoms/effects, acute

and delayed

Coughing. May cause mild irritation including stinging, watering, and redness. May cause skin irritation. Causes mild eye irritation. Shortness of breath. Sensitization. Contact may cause redness, burning, drying, and cracking of the skin, and skin damage.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically. Symptoms may be delayed.

General information Keep victim under observation. In case of shortness of breath, give oxygen. Ensure that

medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminated

clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2, or water spray. Alcohol foam.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment

and precautions for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure

demand breathing apparatus, protective clothing and face mask.

Fire fighting

equipment/instructions

In the event of fire, cool tanks with water spray. Move containers from fire area if you can do it without risk. Firefighters must use standard protective equipment including flame retardant

coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Keep upwind. Ventilate closed spaces before entering them. Do not touch or walk through spilled material. Wear suitable protective clothing. Do not breathe mist or vapor. For personal protection, see section 8 of the SDS.

Extinguish all flames in the vicinity.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Collect spillage. Following product recovery, flush area with water. Prevent product from entering drains. Do not allow material to contaminate ground water system.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Environmental precautions Do not flush into surface water or sanitary sewer system.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Do not empty into drains. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a closed container away from incompatible materials. Use care in handling/storage.

8. Exposure controls/personal protection

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Avoid contact with eyes. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Handle in accordance

with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Viscous. Liquid.
Color Off-white.

Odor Not available.
Odor threshold Not available.
pH Not Applicable
Melting point/freezing point Not available.

Initial boiling point and

boiling range Flash point 302 °F (150 °C)

482.0 °F (250.0 °C) estimated

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits **Explosive limit - lower** Not available.

(%)

Explosive limit - upper

Not available.

Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not Soluble **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature 572 °F (300 °C) **Decomposition temperature** Not available. Not available. Viscosity

Other information

11.29 lb/gal estimated Density

Specific gravity 1.35 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal temperature conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Acids. Bases. Amines. Burning produces noxious and toxic fumes. **Hazardous decomposition**

products

Irritating and/or toxic fumes and gases may be emitted upon the products decomposition. Oxides of silicon. Carbon oxides. Carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation. Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Test Results Product Species

NOVOCOAT™ SG2500 LINING PART A

Acute Dermal

LD50 Rabbit 8667 g/kg

Inhalation

LC50 Rat 36400 mg/l, 4 Hours

Oral

LD50 3807 g/kg Rat

Skin corrosion/irritation Causes irritation.

^{*} Estimates for product may be based on additional component data not shown.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available. Skin sensitization Irritating to skin.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM. 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-95-6)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Avoid exposure to women during early pregnancy.

Specific target organ toxicity Not available.

single exposure

Specific target organ toxicity

Not available.

- repeated exposure

Aspiration hazard Not available.

Prolonged exposure may cause chronic effects. **Chronic effects**

12. Ecological information

Ecotoxicity Contains a substance which causes risk of hazardous effects to the environment.

Product Test Results Species

NOVOCOAT™ SG2500 LINING PART A

Aquatic

Crustacea EC50 Daphnia 5.7447 mg/l, 48 hours Fish LC50 Fish 3.1915 mg/l, 96 hours

Persistence and degradability Not available. **Bioaccumulative potential** Not available. Mobility in soil Not available. Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies. This product, in its present state,

> when discarded or disposed of, is not a hazardous waste according to Federal regulations (40) CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Waste from residues /

unused products

Dispose of in accordance with local regulations.

Contaminated packaging Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLOROHYDRIN)EPOXY

RESIN)

Transport hazard class(es)

Class

Material name: NOVOCOAT™ SG2500 LINING PART A 5175 Version #: 04 Revision date: 12-13-2024 Issue date: 06-15-2020

^{*} Estimates for product may be based on additional component data not shown.

Subsidiary hazard Packing group III
Environmental hazards YES
ERG Code 9L

Special precautions for

user

Not assigned.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL

A-(EPICHLOROHYDRIN)EPOXY RESIN), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary hazard Packing group III
Environmental hazards

Marine pollutantYesEmSF-A, S-FSpecial precautions forNot assigned.


user

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

Respiratory or skin sensitization

Carcinogenicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Taiwan

WARNING: This product may contain chemicals known to the State of California to cause **US state regulations**

cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Taiwan Chemical Substance Inventory (TCSI)

16. Other information, including date of preparation or last revision

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

06-15-2020 **Issue date** 12-13-2024 **Revision date**

Version # 04

Further information HMIS® is a registered trade and service mark of the NPCA.

NFPA ratings Health: 2 Flammability: 0

Instability: 0

5175 Version #: 04 Revision date: 12-13-2024 Issue date: 06-15-2020

Yes

Yes

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names

Transport Information: Material Transportation Information

GHS: Classification

Material name: NOVOCOAT™ SG2500 LINING PART A

5175 Version #: 04 Revision date: 12-13-2024 Issue date: 06-15-2020