

## **SAFETY DATA SHEET**

# 1. Identification

Product identifier	ERTECH™ 2110
Other means of identification	None.
Recommended use	Not available.
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.
Address	2829 Lakeland Drive
	Jackson, MS 39232
	USA
After hours telephone number	1-800-222-7122
Normal work hours telephone number	1-877-982-7667
Website	www.ergonarmor.com
E-mail	sds@ergon.com
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887
Information on operation hours	8:00 a.m. to 5:00 p.m.

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	May cause an allergic skin reaction.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	Not applicable.	

## 3. Composition/information on ingredients

м	ixtures

Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	0 - 5
2,2',2''-(HEXAHYDRO-1,3,5-TRIAZ NE-1,3,5-TRIYL)TRIETHANOL	ZI	4719-04-4	< 1
ASPHALT		8052-42-4	20 - 30
Other components below reportal	ole levels		70.907

## 4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Wash the skin immediately with soap and water. Wash contaminated clothing before reuse. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. DO NOT induce vomiting. Get medical attention immediately.
Most important symptoms/effects, acute and delayed	Skin irritation. Exposure may cause temporary irritation, redness, or discomfort. May cause redness and pain. May cause an allergic skin reaction. Rash.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
Fire fighting equipment/instructions	ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray.
Specific methods	In the event of fire and/or explosion do not breathe fumes.
General fire hazards	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Use only in well-ventilated areas. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.
Conditions for safe storage, including any incompatibilities	Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
Material name: EPTECH™ 2110	

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

	Туре			lue	Form
QUARTZ (CAS 14808-60-7)	PEL			)5 mg/m3	Respirable dust.
US. OSHA Table Z-3 Perm Components	issible Exposure Lin Type	• •	•	CFR 1910.1 lue	000) Form
QUARTZ (CAS 14808-60-7)	TWA		0.1	L mg/m3	Respirable.
			2.4	l mppcf	Respirable.
US. ACGIH Threshold Lim Components	it Values (TLV) Type		Va	lue	Form
ASPHALT (CAS 8052-42-4)	TWA		0.5	5 mg/m3	Inhalable fume.
QUARTZ (CAS 14808-60-7)	TWA		0.0	)25 mg/m3	Respirable fraction.
NIOSH. Immediately Dan Components	gerous to Life or He Type		-	i lue	
QUARTZ (CAS 14808-60-7)	IDLH		50	mg/m3	
US. NIOSH: Pocket Guide Components	to Chemical Hazard Type		-	ts (REL) lue	Form
ASPHALT (CAS 8052-42-4)	Ceilir	Ig	5 r	ng/m3	Fume.
QUARTZ (CAS 14808-60-7)	TWA		0.0	)5 mg/m3	Respirable dust.
ACGIH Biological Exposur Components ASPHALT (CAS 8052-42-4)	/alue	<b>Determinant</b> 1-Hydroxypyren	<b>Specimen</b> Urine	Sampling *	Time
Components	/alue	1-Hydroxypyren e, with hydrolysis	-		Time
Components	<b>/alue</b> 2.5 μg/l	1-Hydroxypyren e, with hydrolysis (1-HP)	-		Time
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea propriate engineering	<b>/alue</b> 2.5 μg/l se see the source doc	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including	Urine appropriate loc	*	
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea propriate engineering htrols	/alue 2.5 μg/l se see the source doc Provide adequate vo occupational exposi es, such as personal	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including ure limit is not exce <b>protective equip</b>	Urine appropriate loc eded. <b>ment</b>	* al extraction,	Time to ensure that the defined s and face shield are
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea propriate engineering trols lividual protection measure	<b>/alue</b> 2.5 μg/l se see the source doct Provide adequate ve occupational expose <b>es, such as personal</b> Wear safety glasses recommended.	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including ure limit is not exce <b>protective equip</b> s with side shields ( memical resistant glo	Urine appropriate loc eded. <b>ment</b> or goggles). Che	al extraction, emical goggles	to ensure that the defined
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea propriate engineering trols lividual protection measure Eye/face protection	<b>/alue</b> 2.5 μg/l se see the source doct Provide adequate ve occupational expose es, such as personal Wear safety glasses recommended. Wear appropriate cl contact with forearr	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including ure limit is not exce <b>protective equip</b> s with side shields ( nemical resistant glans is likely wear gan othing to prevent a	Urine appropriate loc eded. ment or goggles). Che oves. Chemical i untlet style glow	al extraction, emical goggles resistant glove es. liquid contact	to ensure that the defined s and face shield are es are recommended. If
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea propriate engineering trols dividual protection measure Eye/face protection Skin protection Hand protection	<ul> <li><b>/alue</b></li> <li>2.5 μg/l</li> <li>se see the source doct Provide adequate vero occupational expose</li> <li>es, such as personal Wear safety glasses recommended.</li> <li>Wear appropriate cl contact with forearr Wear appropriate cl</li> </ul>	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including ure limit is not exce <b>protective equip</b> s with side shields ( hemical resistant glants is likely wear gas lothing to prevent a cic or rubber gloves	Urine urine appropriate loc eded. <b>ment</b> or goggles). Che oves. Chemical n untlet style glow ny possibility of , apron and boo	al extraction, emical goggles resistant glove es. liquid contact ts.	to ensure that the defined s and face shield are es are recommended. If t and repeated or prolonge
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea propriate engineering ntrols dividual protection measure Eye/face protection Skin protection Hand protection Other	<ul> <li><b>/alue</b></li> <li>2.5 μg/l</li> <li>se see the source doct Provide adequate very occupational expose</li> <li><b>es, such as personal</b> Wear safety glasses recommended.</li> <li>Wear appropriate cl contact with forearr Wear appropriate cl vapor contact. Plast</li> </ul>	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including ure limit is not exce <b>protective equip</b> s with side shields ( nemical resistant glo nemical resistant glo nothing to prevent a cic or rubber gloves nt ventilation, wear	Urine urine appropriate loc eded. <b>ment</b> or goggles). Che oves. Chemical n untlet style glov ny possibility of , apron and boo suitable respira	al extraction, emical goggles resistant glove es. liquid contact ts. tory equipment	to ensure that the defined s and face shield are es are recommended. If t and repeated or prolonge
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea propriate engineering ntrols dividual protection measure Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards neral hygiene	<ul> <li><b>/alue</b></li> <li>2.5 μg/l</li> <li>se see the source doct Provide adequate very occupational expose</li> <li><b>es, such as personal</b> Wear safety glasses recommended.</li> <li>Wear appropriate cl contact with forearr Wear appropriate cl vapor contact. Plast In case of insufficie Wear appropriate th Always observe good</li> </ul>	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including ure limit is not exce <b>protective equip</b> s with side shields ( memical resistant gle s bilkely wear gas othing to prevent a cic or rubber gloves nt ventilation, wear hermal protective cl of personal hygiene ing, and/or smokin	Urine urine appropriate loc eded. <b>ment</b> or goggles). Che oves. Chemical n untlet style glow ny possibility of , apron and boo suitable respira othing, when ne measures, such	al extraction, emical goggles resistant glove es. liquid contact ts. tory equipment ecessary.	to ensure that the defined s and face shield are es are recommended. If t and repeated or prolonge
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea propriate engineering ntrols dividual protection measure Eye/face protection Skin protection Hand protection Other Respiratory protection	<ul> <li><b>/alue</b></li> <li>2.5 μg/l</li> <li>se see the source doct Provide adequate very occupational expose</li> <li><b>es, such as personal</b> Wear safety glasses recommended.</li> <li>Wear appropriate cl contact with forearr Wear appropriate cl vapor contact. Plast In case of insufficie Wear appropriate th Always observe good before eating, drink to remove contamin</li> </ul>	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including ure limit is not exce <b>protective equip</b> s with side shields ( memical resistant gle s bis likely wear gas othing to prevent a cic or rubber gloves int ventilation, wear hermal protective cl of personal hygiene ing, and/or smokin	Urine urine appropriate loc eded. <b>ment</b> or goggles). Che oves. Chemical n untlet style glow ny possibility of , apron and boo suitable respira othing, when ne measures, such	al extraction, emical goggles resistant glove es. liquid contact ts. tory equipment ecessary.	to ensure that the defined s and face shield are es are recommended. If t and repeated or prolonge nt.
Components ASPHALT (CAS 8052-42-4) 2 * - For sampling details, plea ropriate engineering trols ividual protection measure Eye/face protection Skin protection Hand protection	<b>/alue</b> 2.5 μg/l se see the source doct Provide adequate ve occupational expose es, such as personal Wear safety glasses recommended. Wear appropriate cl contact with forearr	1-Hydroxypyren e, with hydrolysis (1-HP) ument. entilation, including ure limit is not exce <b>protective equip</b> s with side shields ( hemical resistant glans is likely wear gam	Urine appropriate loc eded. <b>ment</b> or goggles). Che oves. Chemical i	al extraction, emical goggles resistant glove	to ensure that the define s and face shield are es are recommended. If

Appearance	Viscous liquid
Physical state	Liquid.
Form	Liquid.
Color	Brown
Odor	Mild Petroleum Odor

Odor threshold	Not available.
pH	> 5 - < 7
Melting point/freezing point	32 °F (0 °C)
Initial boiling point and	212 °F (100 °C)
boiling range	212 F (100 C)
Flash point	>212.0 °F (>100.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or e	explosive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	60 mm Hg at 100°F, approx.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Slightly
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Viscosity temperature	77 °F (25 °C)
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC	0.2 lb/gal maximum

## 10. Stability and reactivity

Reactivity Chemical stability	The product is stable and non-reactive under normal conditions of use, storage and transport. Stable under normal temperature conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not overheat product.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen sulfide.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	May be irritating to eyes.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

Acute toxicity
----------------

Not known.

Product	Species		Test Results
ERTECH™ 2110			
Acute			
Dermal			
LD50	Rat		90375 mg/kg
Oral			
LD50	Rat		116214 mg/kg
Components	Species		Test Results
ASPHALT (CAS 8052-42-4)			
Acute			
Dermal	D     ''		2000 //
LD50	Rabbit		> 2000 mg/kg
Oral	5.		5000 //
LD50	Rat		> 5000 mg/kg
* Estimates for product may	oe based on add	litional component data not shown.	
Skin corrosion/irritation	Not available.	·	
Serious eye damage/eye		with eyes may cause temporary irritati	on.
irritation			
Respiratory or skin sensitization		on consitizor	
Respiratory sensitization Skin sensitization	Not a respirat	•	
	•	ergic skin disorders in sensitive individu	
Germ cell mutagenicity	mutagenic or	able to indicate product or any compone genotoxic.	and present at greater than 0.1% are
Carcinogenicity		contains crystalline silica. Silica is a kno form the normal routes of exposure are	
IARC Monographs. Overal	Evaluation of	<sup>2</sup> Carcinogenicity	
ASPHALT (CAS 8052-42-	4)	2B Possibly carcinoge	nic to humans.
QUARTZ (CAS 14808-60-		1 Carcinogenic to hur	nans.
		s (29 CFR 1910.1001-1053)	
QUARTZ (CAS 14808-60- US. National Toxicology Pi		Cancer Report on Carcinogens	
ASPHALT (CAS 8052-42-		Known To Be Human	Carcinogen.
QUARTZ (CAS 14808-60-	-7)	Known To Be Human	Carcinogen.
Reproductive toxicity	-	s not expected to cause reproductive o	r developmental effects.
Specific target organ toxicity - single exposure	Not classified		
Specific target organ toxicity - repeated exposure	Not classified		
Aspiration hazard	Not an aspira	tion hazard.	
Chronic effects	Not expected		onged inhalation may be harmful. Prolonged
Further information		nas no known adverse effect on human	health.
12. Ecological information	on		
Ecotoxicity	Not expected	to be harmful to aquatic organisms.	
Product	-	Species	Test Results
ERTECH <sup>™</sup> 2110			
Aquatic			
Crustacea	EC50	Daphnia	46082.9492 mg/l, 48 hours
Acute			
Crustacea	EC50	Daphnia	68493.1484 mg/l, 48 hours estimated

Product		Species	Test Results
Fish	LC50	Fish	37.0345 mg/l, 96 hours estimated
* Estimates for product may b	be based on add	itional component data not shown.	
Persistence and degradability	No data is ava	ilable on the degradability of this product.	
<b>Bioaccumulative potential</b>	No data availa	ble.	
Mobility in soil	No data availa	ble.	
Other adverse effects		rse environmental effects (e.g. ozone dep ocrine disruption, global warming potentia	

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Respiratory or skin sensitization categories

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

ASPHALT (CAS 8052-42-4)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

#### US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

QUARTZ (CAS 14808-60-7)

#### California Proposition 65



**WARNING:** WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date Revision date Version # Further information NFPA ratings	12-09-2021 10-17-2023 03 HMIS® is a registered trade and service mark of the NPCA. Health: 1
NI FA Faciliys	Flammability: 1 Instability: 0
References	ACGIH ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices EPA: AQUIRE database IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents

	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.