

# **SAFETY DATA SHEET**

### 1. Identification

Product identifier	ERTECH 3036
Other means of identification	None.
Recommended use	Not available.
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.
Address	2829 Lakeland Drive
	Jackson, MS 39232
	USA
After hours telephone number	1-800-222-7122
Normal work hours telephone number	1-877-982-7667
Website	www.ergonarmor.com
E-mail	sds@ergon.com
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887
Information on operation hours	8:00 a.m. to 5:00 p.m.

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



	$\mathbf{v}$
Signal word	Warning
Hazard statement	May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statement	
Prevention	Wear eye protection/face protection. Avoid breathing dust/fume/gas/mist/spray. Contaminated work clothing must not be allowed out of the workplace. Observe good industrial hygiene practices. Wash thoroughly after handling.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	35 - 45
Other components below rep	ortable levels		60.62
4. First-aid measures			
Inhalation	If breathing is difficult, remove to fresh air and Call a physician if symptoms develop or persist		omfortable for breathing
Skin contact		If clothing sticks to the skin, do not remove. Lotion or hand cream may aid in the removal of asphalt. Wash contact areas with soap and water. If needed, seek medical attention.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. DO NOT induce vomiting. Get ma amount does occur, call a poison control center		If ingestion of a large
Most important symptoms/effects, acute an delayed	Direct contact with eyes may cause temporary d	irritation.	
Indication of immediate medical attention and specia treatment needed	Treat symptomatically. al		
General information	Ensure that medical personnel are aware of th protect themselves.	e material(s) involved, and to	ake precautions to
5. Fire-fighting measur	res		
Suitable extinguishing medi	a Foam. Dry chemical powder. Carbon dioxide (	CO2).	
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher	r, as this will spread the fire.	
Specific hazards arising fron the chemical	<b>n</b> During fire, gases hazardous to health may be	formed.	
Special protective equipmen and precautions for firefighters	It Firefighters must use standard protective equip face shield, gloves, rubber boots, and in enclose clothing will only provide limited protection.		
Fire fighting equipment/instructions	ALWAYS stay away from tanks engulfed in flar unmanned hose holders or monitor nozzles. M risk. In the event of fire, cool tanks with water	ove containers from fire area	
Specific methods	In the event of fire and/or explosion do not brow water spray.	eathe fumes. In the event of	fire, cool tanks with
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release m	ieasures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep peop low areas. Do not touch damaged containers of protective clothing. Ventilate closed spaces bet section 8 of the SDS.	or spilled material unless wea	ring appropriate
Methods and materials for containment and cleaning u	This product is miscible in water.		
up	Large Spills: Stop the flow of material, if this is possible. Cover with plastic sheet to prevent sp place into containers. Prevent entry into water	preading. Absorb in vermiculi	ite, dry sand or earth an
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean sur	face thoroughly to
	Never return spills to original containers for re- non-combustible material and transfer to conta mist. For large spills, dike far ahead of liquid s waterways.	ainers. Ventilate area and ave	oid breathing vapors or
Environmental precautions	Avoid discharge into drains, water courses or o	onto the ground.	

## 7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Use only in well-ventilated areas. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.
Conditions for safe storage, including any incompatibilities	Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a well-ventilated place.

## 8. Exposure controls/personal protection

Occupational exposure limits Biological limit values Appropriate engineering	This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit No biological exposure limits noted for the ingredient(s). Provide adequate ventilation, including appropriate local extraction, to ensure that the defined
controls	occupational exposure limit is not exceeded.
Individual protection measure	s, such as personal protective equipment
Eye/face protection	Chemical goggles and face shield are recommended. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.
Other	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact. Plastic or rubber gloves, apron and boots.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

AppearanceHeavy-consistency emulsion.Physical stateLiquid.FormLiquid. ViscousFormBlackOdorMild Petroleum OdorOdorNot available.pH11 - 12Melting point/freezing point32 °F (0 °C)Initial boiling point and boiling range> 212.0 °C (100 °C)Flash pointNot available.Flash pointNot available.Flash pointNot available.Flammability (solid, gas)Not available.Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.		p. •p ••
FormLiquid. ViscousColorBlackOdorMild Petroleum OdorOdor thresholdNot available.pH11 - 12Melting point/freezing point32 °F (0 °C)Initial boiling point and boiling range212 °F (100 °C)Flash point> 212.0 °F (> 100.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kot available.Not available.Explosive limit - lower (%)Not available.Kot available.Not available.Kot a	Appearance	Heavy-consistency emulsion.
ColorBlackOdorMild Petroleum OdorOdor thresholdNot available.pH11 - 12Melting point/freezing point32 °F (0 °C)Initial boiling point and boiling range212 °F (100 °C)Flash point> 212.0 °F (> 100.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability orVosive limitsFlammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kanamability limit - lower (%)Not available.	Physical state	Liquid.
OdorMild Petroleum OdorOdor thresholdNot available.pH11 - 12Melting point/freezing point32 °F (0 °C)Initial boiling point and boiling range212 °F (100 °C)Flash point> 212.0 °F (> 100.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability orVosi verilable.flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kot available.Not available.Flammability limit - upper (%)Not available.Kot available.Not available.	Form	Liquid. Viscous
Odor thresholdNot available.pH11 - 12Melting point/freezing point32 °F (0 °C)Initial boiling point and boiling range212 °F (100 °C)Flash point> 212.0 °F (> 100.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsNot available.Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kot available.Not available.Kot available.Not available.Flammability limit - upper (%)Not available.Kot available.Not ava	Color	Black
pH11 - 12Melting point/freezing point32 °F (0 °C)Initial boiling point and boiling range212 °F (100 °C)Flash point> 212.0 °F (> 100.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsNot available.Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kot available.Not available. <tr< th=""><th>Odor</th><th>Mild Petroleum Odor</th></tr<>	Odor	Mild Petroleum Odor
Melting point/freezing point32 °F (0 °C)Initial boiling point and boiling range212 °F (100 °C)Flash point> 212.0 °F (> 100.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsNot available.Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kot available.Not available.Kot available.Not available.Flammability limit - upper (%)Not available.Kot available.Not available.Kot availab	Odor threshold	Not available.
Initial boiling point and boiling range212 °F (100 °C)Flash point> 212.0 °F (> 100.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kanability limit - upper (%)Not available.Kanability limit - Not available.Not available.Mot available.Not available.	рН	11 - 12
boiling rangeFlash point> 212.0 °F (> 100.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsNot available.Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Mot available.Not available.Mot available.Not available.	Melting point/freezing point	32 °F (0 °C)
Evaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kather is the second se		212 °F (100 °C)
Flammability (solid, gas) Not available.   Upper/lower flammability or explosive limits   Flammability limit - lower Not available.   (%) Flammability limit -   Flammability limit - Not available.   upper (%) Not available.   Explosive limit - lower Not available.   (%) Not available.   Explosive limit - lower Not available.   (%) Not available.	Flash point	> 212.0 °F (> 100.0 °C) Cleveland Open Cup
Upper/lower flammability or explosive limits   Flammability limit - lower Not available.   (%) Flammability limit -   Flammability limit - Not available.   upper (%) Explosive limit - lower   (%) Not available.   Explosive limit - lower Not available.   (%) Not available.   Explosive limit - upper Not available.	Evaporation rate	Not available.
Flammability limit - lower Not available.   (%) Flammability limit -   Flammability limit - Not available.   upper (%) Not available.   Explosive limit - lower Not available.   (%) Not available.   Explosive limit - upper Not available.   Not available. Not available.	Flammability (solid, gas)	Not available.
(%)Flammability limit -upper (%)Explosive limit - lower (%)Karlosive limit - upperNot available.Not available.	Upper/lower flammability or e	xplosive limits
upper (%) Explosive limit - lower Not available. (%) Explosive limit - upper Not available.		Not available.
(%) Explosive limit - upper Not available.	-	Not available.
• • • • • • • • • • • • • • • • • • • •	•	Not available.
		Not available.
Vapor pressureNot available.	Vapor pressure	Not available.
Vapor density Not available.	Vapor density	Not available.
Relative density 0.95 - 1.05 g/cm3	Relative density	0.95 - 1.05 g/cm3

Relative density temperature	39.2 °F (4 °C)
Solubility(ies)	
Solubility (water)	Slightly
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	> 700 °F (> 371.11 °C)
Decomposition temperature	Not available.
Viscosity	500 cP Approx. (77 °F (25 °C))
Other information	
VOC	0.2 lb/gal maximum

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable under normal temperature conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not overheat product.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen sulfide.

## **11.** Toxicological information

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	May be irritating to eyes.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological ef	ffects
Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	May be irritating to eyes.
Respiratory or skin sensitization	on la constante de la constante
Respiratory sensitization	Not available.
Skin sensitization	May cause allergic skin disorders in sensitive individuals.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulatec form the normal routes of exposure are unavailable.
IARC Monographs. Overall	Evaluation of Carcinogenicity
Not listed.	
	ed Substances (29 CFR 1910.1001-1052)
Not regulated.	
	ogram (NTP) Report on Carcinogens
Not listed.	Not classified.
Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	
Specific target organ toxicity - repeated exposure	Not classified.

Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.
Further information	This product has no known adverse effect on human health.

### **12. Ecological information**

Ecotoxicity	Not expected to be harmful to aquatic organisms.
Persistence and degradability	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. No components are identified as hazardous wastes. Disposal recommendations are based on uncontaminated material.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Not applicable.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

# ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

**US federal regulations** 

All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

Yes

Hazardous chemical	
Classified hazard categories	Serious eye damage or eye irritation Respiratory or skin sensitization
CADA 212 (TDI way arting)	

SARA 313 (TRI reporting) Not regulated.

Other federal regulations			
•	on 112 Hazardo	ous Air Pollutants (HAPs) List	
Not regulated.			
Clean Air Act (CAA) Sectio	on 112(r) Accid	lental Release Prevention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated		
US state regulations	WARNING: Th	nis product contains a chemical known to the State of C	alifornia to cause cancer.
<b>California Proposition 65</b>			
WARNING: This product	contains a chem	nical known to the State of California to cause cancer.	
California Proposition	65 - CRT: List	ed date/Carcinogenic substance	
ASPHALT (CAS 8052	2-42-4)	Listed: January 1, 1990	
International Inventories			
Country(s) or region	Inventory na	ame	On inventory (yes/no)*
Australia	Australian Inv	entory of Chemical Substances (AICS)	Yes
Canada	Domestic Sub	stances List (DSL)	Yes
Canada	Non-Domestic	Substances List (NDSL)	No
China	Inventory of E	Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inve (EINECS)	entory of Existing Commercial Chemical Substances	Yes
Europe	European List	of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of E	Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chem	nicals List (ECL)	Yes
New Zealand	New Zealand	Inventory	Yes
Philippines	Philippine Invo (PICCS)	entory of Chemicals and Chemical Substances	Yes
Taiwan	Taiwan Chem	ical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substan	ces Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

•	
Issue date	01-07-2015
Revision date	04-19-2018
Version #	02
Further information	HMIS® is a registered trade and service mark of the NPCA.
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety